




| LEGEND:- | |
|---|---|
| BOUNDARY LINE | |
| SETBACK LINE | |
| BASEMENT LINE | |
| BUILDING PROFILE LINE | |
| KHARAB AREA | |
| NALA BUFFER LINE | |
| AREA UNDER EXISTING ROAD | |
| CIVIC AMENITIES | |
| PARK & OPENSPACES | |
| SURVEY BOUNDARY LINE | |

FAR &Tenement Details

| Block | No. of Same Bldg | Gross Built Up Area (Sq.mt.) | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Cutout | | StairCase | Lift | Lift Machine | Void | SubStructure | Ramp | Recreational Space | Parking | Resi. | | |
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | 1 | 39943.95 | 1488.76 | 38455.19 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| Grand Total: | 3 | 76845.93 | 4383.04 | 72462.89 | 3845.88 | 1012.03 | 64.65 | 1131.39 | 22.50 | 628.00 | 116.13 | 20450.98 | 45191.31 | 45191.31 | 351.00 |




Block :TOWER A (RESIDENTIAL APARTMENT BUILDING)


| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Ramp | Refuge Area | Parking | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 38.71 | 0.00 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 0.00 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 0.00 | 0.00 | 407.84 | 407.84 | 03 |
| Upper Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 353.25 | 0.00 | 10186.24 | 0.00 | 0.00 | 00 |
| Lower Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 274.75 | 0.00 | 10264.74 | 0.00 | 0.00 | 00 |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | | | |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |

Block :TOWER B (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |

Block :TOWER C (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |




N
SCALE : 1:300

Approval Condition :

This Plan Sanction is issued subject to the following conditions and additional conditions mentioned in the Building Licence.

1.Sanction is accorded for the Residential Building plan at E-Khatha No.3574831652, Sy.No:6/1, 6/2, 6/3, 6/4, 304 & 305, Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Ward No.83, Bangalore.
a).Consist of for Tower -A :2 Common Basement + 1Ground + 24 UF
for Tower -B :2 Common Basement + 1Ground + 24 UF
for Tower -C :2 Common Basement + 1Ground + 24 UF only
2.Sanction is accorded for Residential use only. The use of the building shall not be deviated to any other use.
3.The area reserved for car parking shall not be converted for any other purpose.
4.License and approved plans shall be posted in a conspicuous place of the licensed premises. The building license and the copies of sanctioned plans with specifications shall be mounted on a frame and displayed and they shall be made available during inspections.
5.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "PLINTH CERTIFICATE" shall be obtained for the site above 371 Sqm.
6. Construction or reconstruction of the building should be completed before the expiry of five years from the date of issue of license & within one month after its completion shall apply for permission to occupy the building.
7.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space for dumping garbage within the premises shall be provided.
8.The applicant shall construct temporary toilets for the use of construction workers and it should be demolished after the construction.
9.The applicant shall INSURE all workmen involved in the construction work against any accident / untoward incidents arising during the time of construction.
10.The applicant shall not stock any building materials / debris on footpath or on roads or on drains. The debris shall be removed and transported to nearby dumping yard.
11. The applicant / builder is prohibited from selling the setback area / open spaces and the common facility areas, which shall be accessible to all the tenants and occupants.
12.The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Es& D) code leaving 3.00 mts. from the building within the premises.
13. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for installation of telecom equipment and also to make provisions for telecom services as per Bye-law
14.The applicant shall maintain during construction such barricading as considered necessary to prevent dust, debris & other materials endangering the safety of people / structures etc. in & around the site.
15.Permission shall be obtained from forest department / section for cutting trees before the commencement of the work.
16.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in the second instance and cancel the registration if the same is repeated for the third time.
17.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and responsibilities specified in Schedule â€' IV (Bye-law No. 3.6) under sub section IV-8 (e) to (k).
18.The building shall be constructed under the supervision of a registered structural engineer.
19.The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the competent authority.
20.The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintain in good condition for storage of water for non portable purposes or recharge of ground water at all times having a minimum total capacity mentioned in the Bye-law.
21.The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS 1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.
22.Buildings have to be designed by a registered structural engineer. Based on SBC, water table and other criteria foundation and building shall be designed to ensure structural stability. The responsibility of ascertaining structural stability lies on the owner / builder and the structural engineer.
23.The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the building.
24.Facilities for physically handicapped persons prescribed in schedule XI (Bye laws â€' 31) of Building bye-laws 2003 and Government orders time to time shall be ensured.
25.The applicant shall provide at least one common toilet in the ground floor for the use of the visitors / servants / drivers and security men and also entrance shall be approached through a ramp for the Physically Handicapped persons together with the stepped entry.
26.The applicant shall ensure that no inconvenience is caused to the neighbours in the vicinity of construction and that the construction activities shall stop before 07.00 PM and shall not resume the work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.
27.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and inorganic waste and should be processed in the Recycling processing unit installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and 2000 Sqm and above built-up area for Commercial building).
28. The structures with basement/s shall be designed for structural stability and safety to ensure for soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighbouring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.
29.Two-wheeler parking shall be provided as per the building bye-law.
30.The Owner / Association of the high-rise building shall conduct two mock â€' trials in the building, one before the onset of summer and another during the summer and assure complete safety in respect of fire hazards.

31.The Builder / Contractor / Professional responsible for supervision of work shall not materially and structurally deviate the construction from the sanctioned plan, without prior approval of the authority. They shall explain to the owner about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of the Bengaluru City Corporation.
32.The Construction or reconstruction of building shall be commenced within a period of two (2) years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to Bengaluru City Corporation (Sanctioning Authority) of the intention to start work in the form prescribed in Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or footing of walls / columns of the foundation. Otherwise the plan sanction deemed to be cancelled.
33.The Applicant should follow the instruction of BWSSB specified in the DO letter No. BWSSB/A/36/2019-20, Dated. 25-09-2019 regarding utilization of treated water for all construction activities for built up area more than 2000 Sq.mtrs
34.The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016.
35.The Applicant / Owners / Developers shall make necessary provision to charge electrical vehicles.
36.The Applicant / Owner / Developer shall plant one tree for every 240 Sq.m of FAR areas as part thereof in case of Apartment / group housing / multi dwelling unit/development plan and at least Two Trees for single unit.
37.The Applicant / Owner / Developer shall abide by the Rule and Regulations of Karnataka Energy Conservation Building Code (KECBC) 2018.
38.If the Applicant / Owner deviate building construction against the sanctioned plan the action will be initiated according to Bengaluru City Corporation Act â€' 2020.
39.The Applicant / Owner / Architect should also adhere to the special conditions imposed in the Building Licence
40.The applicant / Owner / Architect should abide by the conditions imposed by the planning authority and in the NOC issued from various departments wherever applicable.
41.Bengaluru City Corporation will not be responsible for any dispute that may arise in respect of property in question.
42.In case if the documents submitted in respect of property in question is found to be false or fabricated or if owner/builder has obtained permission by misrepresentation or fraud, the sanctioned plan stands cancelled as per the legal provisions and suitable legal action will be initiated.
43.The applicant / Owner / Builder should register the project in Real Estate Regulatory Authority (RERA) compulsorily before obtaining Plinth certificate in case of Residential Apartments having 8 Units and more.
44.The permission is issued based on information submitted by the applicant. This authority is not responsible for pending court cases in any court of law.
45.The permission is issued based on information submitted by the applicant. This cannot be considered for claiming the ownership of the property.
46.Owner / builder/ GPA holder / developer shall take all precautionary measure to ensure the safety of personnels involved in the construction activities.
47.Due to non-compliance of safety precautionary measures or due to any other reason if loss of lifeor injury or permanent disability occurred to personnels or damages caused to public or private property, Bengaluru City Corporation is not responsible for such loss, Owner / Builder / GPA holder / developer shall hold the responsibility for such damages or loss of life or injury or permanent disability.
48.The Owner/Applicant/Builder or Contractor should ensure that there is no stagnation/ponding ofwater in the site/building during construction to avoid source of any disease or Dengue. For e.g., Water sump, lift pit, basement floor, etc.
49.Construction should not be carried out on Sundays, all Festival Days including 15th August and26th January.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM (Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated: 01-04-2013 :
1.Registration of Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to.
2.The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and list of construction workers engaged at the time of issue of Plinth Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place.
3.The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him.
4.t any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board"
Note:
1.Accommodation shall be provided for setting up of schools for imparting education to the children of construction workers in the labour camps / construction sites.
2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory.
3.Employment of child labour in the construction activities strictly prohibited.
4.Obtaining NOC from the Labour Department before commencing the construction work is a must.

Color Notes

| COLOR INDEX | |
|---|---|
| PLOT BOUNDARY | |
| ABUTTING ROAD | |
| PROPOSED WORK (COVERAGE AREA) | |
| EXISTING (To be retained) | |
| EXISTING (To be demolished) | |

| | | |
|---|---|---|
| AREA STATEMENT (Bengaluru East City Corporation) | VERSION NO.: 1.0.25 | |
| | VERSION DATE: 30/01/2026 | |
| PROJECT DETAIL: | | |
| Authority: Bengaluru East City Corporation | Plot Use: Residential | |
| Proposal Department: HO - Bengaluru East City Corporation | Plot SubUse: Apartment | |
| Project No: GBA/BECC/0356/25-26 | Land Use Zone: Residential (Mixed) | |
| Application Type: General | Plot/Sub Plot No.: 3574831652 | |
| Proposal Type: Building Permission | City Survey No.: 6/1, 6/2, 6/3, 6/4, 304 & 305 | |
| Nature of Sanction: NEW | Khata No. (As per Khata Extract): 3574831652 | |
| Location: RING-III | Locality / Street of the property: Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore | |
| Building Line Specified as per Z.R: NA | | |
| Zone: Mahadevapura | | |
| Ward: Ward 083 | | |
| Planning District: 314-Sadara Mangala | | |
| AREA DETAILS: | | SQ.MT. |
| AREA OF PLOT (Minimum) | (A) | 21144.65 |
| Deduction for NetPlot Area | | |
| Surrender Free of Cost | | 538.58 |
| Total | | 538.58 |
| NET AREA OF PLOT | (A-Deductions) | 20606.07 |
| Deduction for Balance Plot Area | | |
| RW Area surrendered Free of Cost | | 538.58 |
| Amenity Area | | 1057.23 |
| Total | | 1595.81 |
| BALANCE AREA OF PLOT | (A-Deductions) | 19548.84 |
| COVERAGE CHECK | | |
| Permissible Coverage area (65.00 %) | | 12706.74 |
| Proposed Coverage Area (10.84 %) | | 2118.24 |
| Achieved Net coverage area ( 10.84 % ) | | 2118.24 |
| Balance coverage area left ( 54.16 % ) | | 10588.50 |
| FAR CHECK | | |
| Permissible F.A.R. as per zoning regulation 2015 ( 2.25 ) | | 45196.69 |
| Total Perm. FAR area ( 2.25 ) | | 45196.69 |
| Residential FAR (100.00% ) | | 45191.52 |
| Proposed FAR Area | | 45191.52 |
| Achieved Net FAR Area ( 2.25 ) | | 45191.52 |
| Balance FAR Area ( 0.00 ) | | 5.17 |
| BUILT UP AREA CHECK | | |
| Proposed BuiltUp Area | | 72462.88 |
| Substructure Area Add in BUA (Layout Lvl) | | 198.16 |
| Achieved BuiltUp Area | | 72661.05 |

Approval Date :

Block USE/SUBUSE Details

| Block Name | Block Use | Block SubUse | Block Structure | Block Land Use Category |
|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |

Required Parking(Table 7a)

| Block Name | Type | SubUse | Area (Sq.mt.) | Units | | Car | | |
|---|---|---|---|---|---|---|---|---|
| | | | | Reqd. | Prop. | Reqd./Unit | Reqd. | Prop. |
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| | Total : | | - | - | - | - | 354 | 426 |

Parking Check (Table 7b)

| Vehicle Type | Reqd. | | Achieved | |
|---|---|---|---|---|
| | No. | Area (Sq.mt.) | No. | Area (Sq.mt.) |
| Car | 354 | 4867.50 | 426 | 5857.50 |
| Visitor's Car Parking | 36 | 495.00 | 0 | 0.00 |
| Total Car | 390 | 5362.50 | 426 | 5857.50 |
| TwoWheeler | - | 495.00 | 0 | 0.00 |
| Other Parking | - | - | - | 14635.10 |
| Total | | 5857.50 | | 20492.60 |

SCHEDULE OF OPENINGS

| SL.NO | TAG | SIZE |
|---|---|---|
| 01 | MD1 | 1200 X 2400 |
| 02 | D2 | 1000 X 2400 |
| 03 | D3 | 750 X 2400 |
| 04 | CD1 | 1200 X 2400 |
| 05 | FD1 | 2400 X 2400 |
| 06 | W | 2500 X 2400 |
| 07 | W1 | 1200 X 2400 |
| 08 | W2 | 900 X 2400 |
| 09 | W3 | 600 X 1500 |
| 10 | BW1 | 1800 X 1800 |
| 11 | KW1 | 925 X 1500 |
| 12 | KW2 | 600 X 1500 |
| 13 | V1 | 600 X 1300 |

OWNER / GPA HOLDER'S SIGNATURE

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER :
M/S DISHA WHITEHILL PROPERTIES LLP REP BY DESIGNATED PARTNERS ANJI REDDY METTU & RAJA SEKHAR KAMISETTY GPA HOLDER FOR ANSAR PASHA & OTHERS
43/2, 2nd floor, Whitefield Main Road, Bangalore

ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE
Ganesh N
4032, 28th Cross, 17th Main Road, BSK 2nd Stage, Bangalore – 560070.
E-4289/17-18

PROJECT TITLE :
PROPOSED RESIDENTIAL APARTMENT BUILDING AT E-KHATHA NO. 3574831652, SY.NO:6/1, 6/2, 6/3, 6/4, 304 & 305, KADUGODI VILLAGE, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, WARD NO.83.

DRAWING TITLE :
SITE PLAN

SHEET NO : 1

SANCTIONING AUTHORITY :

| ASSISTANT / JUNIOR ENGINEER / TOWN PLANNER | ASSISTANT DIRECTOR | DEPUTY DIRECTOR | JOINT DIRECTOR |
|---|---|---|---|
| | | | |


This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.

HO – NORTH

Digitally signed by RAGHAVENDRA C N
Date: 23-Sep-2026 10:13:52
Project No: GBA/BECC/0356/25-26IN
Organization: Bengaluru East City Corporation
Designation :Joint Director Town Planning (JDTP)
FileNo :GBA/BECC/Addl.CTP/0029/25-26

UserDefinedMetric (1500.00 x 900.00MM)

This is system generated report and does not require any signature.
Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.




## LOWER BASEMENT FLOOR PLAN

(LVL-8.00M)


NO.OF CAR PARKING = 213 Cars

UserDefinedMetric (1500.00 x 900.00MM)

### FAR &Tenement Details

| Block | No. of Same Bldg | Gross Built Up Area (Sq.mt.) | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | SubStructure | Ramp | Recreational Space | Parking | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | 1 | 39943.95 | 1488.76 | 38455.19 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| Grand Total: | 3 | 76845.93 | 4383.04 | 72462.89 | 3845.88 | 1012.03 | 64.65 | 1131.39 | 22.50 | 628.00 | 116.13 | 20450.98 | 45191.31 | 45191.31 | 351.00 |

(Deductions (Area in Sq.mt.): StairCase to Parking)



RAIN WATER SOAK PIT DETAIL (1.20 M DIA X 6M DEEP)

### Block :TOWER A (RESIDENTIAL APARTMENT BUILDING)


| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | Substructure | Ramp | Refuge Area | Parking | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 38.71 | 0.00 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 0.00 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 0.00 | 0.00 | 407.84 | 407.84 | 03 |
| Upper Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 353.25 | 0.00 | 10186.24 | 0.00 | 0.00 | 00 |
| Lower Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 274.75 | 0.00 | 10264.74 | 0.00 | 0.00 | 00 |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | | | |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |

### Block :TOWER B (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |

### Block :TOWER C (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |



KEY PLAN

### Approval Condition :

This Plan Sanction is issued subject to the following conditions and additional conditions mentioned in the Building Licence.

1.Sanction is accorded for the Residential Building plan at E-Khatha No.3574831652, Sy.No:6/1, 6/2, 6/3, 6/4, 304 & 305, Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Ward No.83, Bangalore.
a).Consist of for Tower -A :2 Common Basement + 1Ground + 24 UF
for Tower -B :2 Common Basement + 1Ground + 24 UF
for Tower -C :2 Common Basement + 1Ground + 24 UF only
2.Sanction is accorded for Residential use only. The use of the building shall not be deviated to any other use.
3.The area reserved for car parking shall not be converted for any other purpose.
4.License and approved plans shall be posted in a conspicuous place of the licensed premises. The building license and the copies of sanctioned plans with specifications shall be mounted on a frame and displayed and they shall be made available during inspections.
5.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "PLINTH CERTIFICATE" shall be obtained for the site above 371 Sqm.
6. Construction or reconstruction of the building should be completed before the expiry of five years from the date of issue of license & within one month after its completion shall apply for permission to occupy the building.
7.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space for dumping garbage within the premises shall be provided.
8.The applicant shall construct temporary toilets for the use of construction workers and it should be demolished after the construction.
9.The applicant shall INSURE all workmen involved in the construction work against any accident / untoward incidents arising during the time of construction.
10.The applicant shall not stock any building materials / debris on footpath or on roads or on drains. The debris shall be removed and transported to nearby dumping yard.
11. The applicant / builder is prohibited from selling the setback area / open spaces and the common facility areas, which shall be accessible to all the tenants and occupants.
12.The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Es& D) code leaving 3.00 mts. from the building within the premises.
13. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for installation of telecom equipment and also to make provisions for telecom services as per Bye-law
14.The applicant shall maintain during construction such barricading as considered necessary to prevent dust, debris & other materials endangering the safety of people / structures etc. in & around the site.
15.Permission shall be obtained from forest department / section for cutting trees before the commencement of the work.
16.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in the second instance and cancel the registration if the same is repeated for the third time.
17.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and responsibilities specified in Schedule â€" IV (Bye-law No. 3.6) under sub section IV-8 (e) to (k).
18.The building shall be constructed under the supervision of a registered structural engineer.
19.The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the competent authority.
20.The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintain in good condition for storage of water for non portable purposes or recharge of ground water at all times having a minimum total capacity mentioned in the Bye-law.
21.The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS 1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.
22.Buildings have to be designed by a registered structural engineer. Based on SBC, water table and other criteria foundation and building shall be designed to ensure structural stability. The responsibility of ascertaining structural stability lies on the owner / builder and the structural engineer.
23.The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the building.
24.Facilities for physically handicapped persons prescribed in schedule XI (Bye laws â€" 31) of Building bye-laws 2003 and Government orders time to time shall be ensured.
25.The applicant shall provide at least one common toilet in the ground floor for the use of the visitors / servants / drivers and security men and also entrance shall be approached through a ramp for the Physically Handicapped persons together with the stepped entry.
26.The applicant shall ensure that no inconvenience is caused to the neighbours in the vicinity of construction and that the construction activities shall stop before 07.00 PM and shall not resume the work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.
27.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and inorganic waste and should be processed in the Recycling processing unit installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and 2000 Sqm and above built-up area for Commercial building).
28. The structures with basement/s shall be designed for structural stability and safety to ensure for soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighbouring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.
29.Two-wheeler parking shall be provided as per the building bye-law.
30.The Owner / Association of the high-rise building shall conduct two mock â€" trials in the building, one before the onset of summer and another during the summer and assure complete safety in respect of fire hazards.

31.The Builder / Contractor / Professional responsible for supervision of work shall not materially and structurally deviate the construction from the sanctioned plan, without prior approval of the authority. They shall explain to the owner about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of the Bengaluru City Corporation.
32.The Construction or reconstruction of building shall be commenced within a period of two (2) years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to Bengaluru City Corporation (Sanctioning Authority) of the intention to start work in the form prescribed in Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or footing of walls / columns of the foundation. Otherwise the plan sanction deemed to be cancelled.
33.The Applicant should follow the instruction of BWSSB specified in the DO letter No. BWSSB/A/36/2019-20, Dated. 25-09-2019 regarding utilization of treated water for all construction activities for built up area more than 2000 Sq.mtrs
34.The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016.
35.The Applicant / Owners / Developers shall make necessary provision to charge electrical vehicles.
36.The Applicant / Owner / Developer shall plant one tree for every 240 Sq.m of FAR areas as part thereof in case of Apartment / group housing / multi dwelling unit/development plan and at least Two Trees for single unit.
37.The Applicant / Owner / Developer shall abide by the Rule and Regulations of Karnataka Energy Conservation Building Code (KECBC) 2018.
38.If the Applicant / Owner deviate building construction against the sanctioned plan the action will be initiated according to Bengaluru City Corporation Act â€" 2020.
39.The Applicant / Owner / Architect should also adhere to the special conditions imposed in the Building Licence
40.The applicant / Owner / Architect should abide by the conditions imposed by the planning authority and in the NOC issued from various departments wherever applicable.
41.Bengaluru City Corporation will not be responsible for any dispute that may arise in respect of property in question.
42.In case if the documents submitted in respect of property in question is found to be false or fabricated or if owner/builder has obtained permission by misrepresentation or fraud, the sanctioned plan stands cancelled as per the legal provisions and suitable legal action will be initiated.
43.The applicant / Owner / Builder should register the project in Real Estate Regulatory Authority (RERA) compulsorily before obtaining Plinth certificate in case of Residential Apartments having 8 Units and more.
44.The permission is issued based on information submitted by the applicant. This authority is not responsible for pending court cases in any court of law.
45.The permission is issued based on information submitted by the applicant. This cannot be considered for claiming the ownership of the property.
46.Owner / builder/ GPA holder / developer shall take all precautionary measure to ensure the safety of personnels involved in the construction activities.
47.Due to non-compliance of safety precautionary measures or due to any other reason if loss of lifeor injury or permanent disability occurred to personnels or damages caused to public or private property, Bengaluru City Corporation is not responsible for such loss, Owner / Builder / GPA holder / developer shall hold the responsibility for such damages or loss of life or injury or permanent disability.
48.The Owner/Applicant/Builder or Contractor should ensure that there is no stagnation/ponding ofwater in the site/building during construction to avoid source of any disease or Dengue. For e.g., Water sump, lift pit, basement floor, etc.
49.Construction should not be carried out on Sundays, all Festival Days including 15th August and26th January.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM (Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated: 01-04-2013 :
1.Registration of Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to.
2.The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and list of construction workers engaged at the time of issue of Plinth Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place.
3.The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him.
4.t any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board"
Note:
1.Accommodation shall be provided for setting up of schools for imparting education to the children of construction workers in the labour camps / construction sites.
2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory.
3.Employment of child labour in the construction activities strictly prohibited.
4.Obtaining NOC from the Labour Department before commencing the construction work is a must.

SCALE : 1:300

Color Notes

| COLOR INDEX |
|---|
| PLOT BOUNDARY |
| ABUTTING ROAD |
| PROPOSED WORK (COVERAGE AREA) |
| EXISTING (To be retained) |
| EXISTING (To be demolished) |

| AREA STATEMENT (Bengaluru East City Corporation) | VERSION NO.: 1.0.25 |
|---|---|
| | VERSION DATE: 30/01/2026 |
| PROJECT DETAIL: | |
| Authority: Bengaluru East City Corporation | Plot Use: Residential |
| Proposal Department: HO - Bengaluru East City Corporation | Plot SubUse: Apartment |
| Project No: GBA/BECC/0356/25-26 | Land Use Zone: Residential (Mixed) |
| Application Type: General | Plot/Sub Plot No.: 3574831652 |
| Proposal Type: Building Permission | City Survey No.: 6/1, 6/2, 6/3, 6/4, 304 & 305 |
| Nature of Sanction: NEW | Khata No. (As per Khata Extract): 3574831652 |
| Location: RING-III | Locality / Street of the property: Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore |
| Building Line Specified as per Z.R: NA | |
| Zone: Mahadevapura | |
| Ward: Ward 083 | |
| Planning District: 314-Sadara Mangala | |

| AREA DETAILS: | | SQ.MT. |
|---|---|---|
| AREA OF PLOT (Minimum) | (A) | 21144.65 |
| Deduction for NetPlot Area | | |
| Surrender Free of Cost | | 538.58 |
| Total | | 538.58 |
| NET AREA OF PLOT | (A-Deductions) | 20606.07 |
| Deduction for Balance Plot Area | | |
| RW Area surrendered Free of Cost | | 538.58 |
| Amenity Area | | 1057.23 |
| Total | | 1595.81 |
| BALANCE AREA OF PLOT | (A-Deductions) | 19548.84 |
| COVERAGE CHECK | | |
| Permissible Coverage area (65.00 %) | | 12706.74 |
| Proposed Coverage Area (10.84 %) | | 2118.24 |
| Achieved Net coverage area ( 10.84 % ) | | 2118.24 |
| Balance coverage area left ( 54.16 % ) | | 10588.50 |
| FAR CHECK | | |
| Permissible F.A.R. as per zoning regulation 2015 ( 2.25 ) | | 45196.69 |
| Total Perm. FAR area ( 2.25 ) | | 45196.69 |
| Residential FAR (100.00%) | | 45191.52 |
| Proposed FAR Area | | 45191.52 |
| Achieved Net FAR Area ( 2.25 ) | | 45191.52 |
| Balance FAR Area ( 0.00 ) | | 5.17 |
| BUILT UP AREA CHECK | | |
| Proposed BuiltUp Area | | 72462.88 |
| Substructure Area Add in BUA (Layout Lvl) | | 198.16 |
| Achieved BuiltUp Area | | 72661.05 |

Approval Date :

### Block USE/SUBUSE Details

| Block Name | Block Use | Block SubUse | Block Structure | Block Land Use Category |
|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |

### Required Parking(Table 7a)

| Block Name | Type | SubUse | Area (Sq.mt.) | Units Reqd. | Units Prop. | Car Reqd./Unit | Car Reqd. | Car Prop. |
|---|---|---|---|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| | Total : | | - | - | - | - | 354 | 426 |

### Parking Check (Table 7b)

| Vehicle Type | Reqd. No. | Reqd. Area (Sq.mt.) | Achieved No. | Achieved Area (Sq.mt.) |
|---|---|---|---|---|
| Car | 354 | 4867.50 | 426 | 5857.50 |
| Visitor's Car Parking | 36 | 495.00 | 0 | 0.00 |
| Total Car | 390 | 5362.50 | 426 | 5857.50 |
| TwoWheeler | - | 495.00 | 0 | 0.00 |
| Other Parking | - | - | - | 14635.10 |
| Total | | 5857.50 | | 20492.60 |

### SCHEDULE OF OPENINGS

| SL.NO | TAG | SIZE |
|---|---|---|
| 01 | MD1 | 1200 X 2400 |
| 02 | D2 | 1000 X 2400 |
| 03 | D3 | 750 X 2400 |
| 04 | CD1 | 1200 X 2400 |
| 05 | FD1 | 2400 X 2400 |
| 06 | W | 2500 X 2400 |
| 07 | W1 | 1200 X 2400 |
| 08 | W2 | 900 X 2400 |
| 09 | W3 | 600 X 1500 |
| 10 | BW1 | 1800 X 1800 |
| 11 | KW1 | 925 X 1500 |
| 12 | KW2 | 600 X 1500 |
| 13 | V1 | 600 X 1300 |

OWNER / GPA HOLDER'S SIGNATURE

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER :
M/S DISHA WHITEHILL PROPERTIES LLP REP BY DESIGNATED PARTNERS ANJI REDDY METTU & RAJA SEKHAR KAMISETTY GPA HOLDER FOR ANSAR PASHA & OTHERS
43/2, 2nd floor, Whitefield Main Road, Bangalore

ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE
Ganesh N
4032, 28th Cross, 17th Main Road, BSK 2nd Stage, Bangalore – 560070.
E-4289/17-18

PROJECT TITLE :
PROPOSED RESIDENTIAL APARTMENT BUILDING AT E-KHATHA NO. 3574831652, SY.NO:6/1, 6/2, 6/3, 6/4, 304 & 305, KADUGODI VILLAGE, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, WARD NO.83.

DRAWING TITLE :
LOWER BASEMENT FLOOR PLAN

SHEET NO : 2

SANCTIONING AUTHORITY :

| ASSISTANT / JUNIOR ENGINEER / TOWN PLANNER | ASSISTANT DIRECTOR | DEPUTY DIRECTOR | JOINT DIRECTOR |
|---|---|---|---|
| | | | |

This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.


HO – NORTH

Digitally signed by RAGHAVENDRA C N
Project No:GBA/BECC/0356/25-26IN
Organization: Bengaluru East City Corporation
Designation :Joint Director Town Planning (JDTP)
FileNo :GBA/BECC/Addl.CTP/0029/25-26

This is system generated report and does not require any signature.
Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.

## FAR &Tenement Details

| Block | No. of Same Bldg | Gross Built Up Area (Sq.mt.) | Deductions From Gross BUA/Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) StairCase | Lift | Lift Machine | Void | SubStructure | Ramp | Recreational Space | Parking | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOWER - A (RESIDENTIAL APARTMENT BUILDING) | 1 | 39943.95 | 1488.76 | 38455.19 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| TOWER - B (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| TOWER - C (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.86 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| Grand Total: | 3 | 76843.93 | 4383.04 | 72462.89 | 3845.88 | 1012.03 | 64.65 | 1131.39 | 22.50 | 628.00 | 116.13 | 20450.98 | 45191.31 | 45191.31 | 351.00 |




## Block :TOWER A (RESIDENTIAL APARTMENT BUILDING)


| Floor Name | Gross Buitup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) StairCase | Lift | Lift Machine | Void | Substructure | Ramp | Refuge Area | Parking | Resi. | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 | |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 | |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Twentieth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 | |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 0.00 | 131.38 | 0.30 | 0.00 | 0.00 | 493.07 | 493.07 | 04 | |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 0.00 | 245.75 | 0.30 | 0.00 | 0.00 | 407.84 | 407.84 | 03 | |
| Upper Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 353.25 | 0.00 | 10186.24 | 0.00 | 0.00 | 00 | |
| Lower Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 274.75 | 0.00 | 10264.74 | 0.00 | 0.00 | 00 | |
| Total | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 | |
| Total Number of Same Blocks | 1 | | | | | | | | | | | | | | |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 | |

## Block :TOWER B (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Buitup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |

## Block :TOWER C (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Buitup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |




Approval Condition :

This Plan Sanction is issued subject to the following conditions and additional conditions mentioned in the Building Licence.

1.Sanction is accorded for the Residential Building plan at E-Khatha No.3574831652, Sy.No.6/1, 6/2, 6/3, 6/4, 304 & 305, Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Ward No.83, Bangalore.
a) Consist of for Tower -A ,2 Common Basement + 1Ground + 24 UF
for Tower -B ,2 Common Basement + 1Ground + 24 UF
for Tower -C ,2 Common Basement + 1Ground + 24 UF only
2.Sanction is accorded for Residential use only. The use of the building shall not be deviated to any other use.
3.The area reserved for car parking shall not be converted for any other purpose.
4.License and approved plans shall be posted in a conspicuous place of the licensed premises. The building license and the copies of sanctioned plans with specifications shall be mounted on a frame and displayed and they shall be made available during inspections.
5.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "PLINTH CERTIFICATE" shall be obtained for the site above 371.5qm.
6. Construction or reconstruction of the building should be completed before the expiry of five years from the date of issue of license & within one month after its completion shall apply for permission to occupy the building.
7.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space for dumping garbage within the premises shall be provided.
8.The applicant shall construct temporary toilets for the use of construction workers and it should be demolished after the construction.
9.The applicant shall INSURE all workmen involved in the construction work against any accident / untoward incidents arising during the time of construction.
10.The applicant shall not stock any building materials / debris on footpath or on roads or on drains. The debris shall be removed and transported to nearby dumping yard.
11. The applicant / builder is prohibited from selling the setback area / open spaces and the common facility areas, which shall be accessible to all the tenants and occupants.
12.The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Esk.S) D code leaving 3.00 mts. from the building within the premises.
13. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for installation of telecom equipment and also to make provisions for telecom services as per Bye-law.
14.The applicant shall maintain during construction such barricading as considered necessary to prevent dust, debris & other materials endangering the safety of people / structures etc. in & around the site.
15.Permission shall be obtained from forest department / section for cutting trees before the commencement of the work.
16.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in the second instance and cancel the registration if the same is repeated for the third time.
17.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and responsibilities specified in Schedule â€“ IV (Bye-law No. 3.6) under sub section IV-9 (a) to (k).
18.The building shall be constructed under the supervision of a registered structural engineer.
19.The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the competent authority.
20.The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintain in good condition for storage of water for non portable purposes or recharge of ground water at all times having a minimum total capacity mentioned in the Bye-law.
21.The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS 1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.
22.Buildings have to be designed by a registered structural engineer. Based on SBC, water table and other criteria foundation and building shall be designed to ensure structural stability. The responsibility of ascertaining structural stability lies on the owner / builder and the structural engineer.
23.The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the building.
24.Facilities for physically handicapped persons prescribed in schedule XI (Bye laws â€“ 31) of Building bye-laws 2003 and Government orders time to time shall be ensured.
25.The applicant shall provide at least one common toilet in the ground floor for the use of the visitors / servants / drivers and security men and also entrance shall be approached through a ramp for the Physically Handicapped persons together with the stepped entry.
26. The applicant shall ensure that no inconvenience is caused to the neighbours in the vicinity of construction and that the construction activities shall stop before 07.00 PM and shall not resume the work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.
27.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and inorganic waste and should be processed in the Recycling processing unit installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and 2000 Sqm and above built-up area for Commercial building).
28. The structures with basement/s shall be designed for structural stability and safety to ensure for soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighbouring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.
29.Two-wheeler parking shall be provided as per the building bye-law.
30.The Owner / Association of the high-rise building shall conduct two mock â€˜drills in the building, one before the onset of summer and another during the summer and ensure complete safety in respect of fire hazards.
31.The Builder / Contractor / Professional responsible for supervision of work shall not materially and structurally deviate the construction from the sanctioned plan, without prior approval of the authority. They shall explain to the owner about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of the Bengaluru City Corporation.
32.The Construction or reconstruction of building shall be commenced within a period of two (2) years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to Bengaluru City Corporation (Sanctioning Authority) of the intention to start work in the form prescribed in Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or footing of walls / columns of the foundation. Otherwise the plan sanction deemed to be cancelled.
33.The Applicant should follow the instruction of BWSSB specified in the DO letter No. BWSSB/A/36/2019-20, Dated. 25-09-2019 regarding utilization of treated water for all construction activities for built up area more than 2000 Sq.mts
34.The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016.
35.The Applicant / Owners / Developers shall make necessary provision to preserve electrical vehicles.
36.The Applicant / Owner / Developer shall plant one tree for every 240 Sq.m of FAR areas as part thereof in case of Apartment / group housing / multi dwelling unit/development plan and at least Two Trees for single unit.
37.The Applicant / Owner / Developer shall abide by the Rule and Regulations of Karnataka Energy Conservation Building Code (KECBC)-2018.
38.If the Applicant / Owner deviate building construction against the sanctioned plan the action will be initiated according to Bengaluru City Corporation Act â€“ 2020.
39.The Applicant / Owner / Architect should also adhere to the special conditions imposed in the Building Licence
40.The applicant / Owner / Architect should abide by the conditions imposed by the planning authority and in the NOC issued from various departments wherever applicable.
41.Bengaluru City Corporation will not be responsible for any dispute that may arise in respect of property in question.
42.In case if the documents submitted in respect of property in question is found to be false or fabricated or if owner/builder has obtained permission by misrepresentation or fraud, the sanctioned plan stands cancelled as per the legal provisions and suitable legal action will be initiated.
43.The applicant / Owner / Builder should register the project in Real Estate Regulatory Authority (RERA) compulsorily before obtaining Plinth certificate in case of Residential Apartments having 8 Units and more.
44.The permission is issued based on information submitted by the applicant. This authority is not responsible for pending court cases in any court of law.
45.The permission is issued based on information submitted by the applicant. This cannot be considered for claiming the ownership of the property.
46.Owner / builder/ GPA holder / developer shall take all precautionary measure to ensure the safety of personnels involved in the construction activities.
47.Due to non-compliance of safety precautionary measures or due to any other reason if loss of life or injury or permanent disability occurred to personnels or damages caused to public or private property, Bengaluru City Corporation is not responsible for such loss, Owner / Builder / GPA holder / developer shall hold the responsibility for such damages or loss of life or injury or permanent disability.
48.The Owner/Applicant/Builder or Contractor should ensure that there is no stagnation/ponding ofwater in the site/building during construction to avoid source of any disease or Dengue. For e.g., Water sump, lift pit, basement floor, etc.
49.Construction should not be carried out on Sundays, all Festival Days including 15th August and26th January.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM (Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated. 01-04-2013 :
1 Registration of Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to.
2.The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and list of construction workers engaged at the time of issue of Plinth Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place.
3.The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him.
4.I any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board"

Note :
1.Accommodation shall be provided for setting up of schools for imparting education to the children of construction workers in the labour camps / construction sites.
2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory.
3.Employment of child labour in the construction activities strictly prohibited.
4.Obtaining NOC from the Labour Department before commencing the construction work is a must.

Approval Date :

## Block USE/SUBUSE Details

| Block Name | Block Use | Block SubUse | Block Structure | Block Land Use Category |
|---|---|---|---|---|
| TOWER - A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER - B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER - C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |

## Required Parking(Table 7a)

| Block Name | Type | SubUse | Area (Sq.mt.) | Units Reqd. | Units Prop. | Car Reqd./Unit | Car Reqd. | Car Prop. |
|---|---|---|---|---|---|---|---|---|
| TOWER - A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER - B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER - C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| | Total | | - | - | - | - | 354 | 426 |

## Parking Check (Table 7b)

| Vehicle Type | Reqd. No. | Reqd. Area (Sq.mt.) | Achieved No. | Achieved Area (Sq.mt.) |
|---|---|---|---|---|
| Car | 354 | 4867.50 | 426 | 5857.50 |
| Visitor's Car Parking | 36 | 495.00 | 0 | 0.00 |
| Total Car | 390 | 5362.50 | 426 | 5857.50 |
| Two/Wheeler | - | 495.00 | - | 0.00 |
| Other Parking | - | - | - | 14635.10 |
| Total | 5857.50 | - | - | 20492.60 |

## SCHEDULE OF OPENINGS

| SL.NO | TAG | SIZE |
|---|---|---|
| 01 | MD1 | 1200 X 2400 |
| 02 | D2 | 1000 X 2400 |
| 03 | D3 | 750 X 2400 |
| 04 | CD1 | 1200 X 2400 |
| 05 | FD1 | 2400 X 2400 |
| 06 | W | 2500 X 2400 |
| 07 | W1 | 1200 X 2400 |
| 08 | W2 | 900 X 2400 |
| 09 | W3 | 600 X 1500 |
| 10 | BW1 | 1800 X 1800 |
| 11 | KW1 | 925 X 1500 |
| 12 | KW2 | 600 X 1500 |
| 13 | V1 | 600 X 1300 |




OWNER / GPA HOLDER'S SIGNATURE

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER :
M/S DISHA WHITEHILL PROPERTIES LLP REP BY DESIGNATED PARTNERS ANJI REDDY METTU & RAJA SEKHAR KAMSETTY GPA HOLDER FOR ANSAR PASHA & OTHERS
43/2, 2nd floor, Whitefield Main Road, Bangalore

ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE
Ganesh N
4032, 28th Cross, 17th Main Road, BSK 2nd Stage, Bangalore – 560070.
E-4289/17-18

PROJECT TITLE :
PROPOSED RESIDENTIAL APARTMENT BUILDING AT E-KHATTHA NO. 3574831652, SY.NO'S 6/1, 6/2, 6/3, 6/4, 304 & 305, KADUGODI VILLAGE, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, WARD NO.83.

DRAWING TITLE :
UPPER BASEMENT FLOOR PLAN

SHEET NO : 3

SANCTIONING AUTHORITY :

| ASSISTANT DIRECTOR OF TOWN PLANNING (EAST) BANGALORE | ASSISTANT DIRECTOR | DEPUTY DIRECTOR | JOINT DIRECTOR |
|---|---|---|---|
| | | | |


This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building license by the competent authority.

HD – NORTH

This is system generated report and does not require any signature.

Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.

UserDefinedMetric (1500.00 x 900.00MM)




(TOWER - A, B & C)

GROUND FLOOR PLAN (LVL+0.75M)

NO.OF UNITS (TOWER-A) = 03 Units

NO.OF UNITS (TOWER-B) = 03 Units

NO.OF UNITS (TOWER-C) = 03 Units


TOTAL NO.OF UNITS = 09 Units

UserDefinedMetric (1500.00 x 900.00MM)

FAR &Tenement Details

| Block | No. of Same Bldg | Gross Built Up Area (Sq.mt.) | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | SubStructure | Ramp | Recreational Space | Parking | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | 1 | 39943.95 | 1488.76 | 38455.19 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| Grand Total: | 3 | 76845.93 | 4383.04 | 72462.89 | 3845.88 | 1012.03 | 64.65 | 1131.39 | 22.50 | 628.00 | 116.13 | 20450.98 | 45191.31 | 45191.31 | 351.00 |

(Deductions (Area in Sq.mt.): StairCase, Lift, Lift Machine, Void, SubStructure, Ramp, Recreational Space, Parking)




RAIN WATER SOAK PIT DETAIL (1.20 M DIA X 6M DEEP)

Block :TOWER A (RESIDENTIAL APARTMENT BUILDING)


| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | Substructure | Ramp | Refuge Area | Parking | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 38.71 | 0.00 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 0.00 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 0.00 | 0.00 | 407.84 | 407.84 | 03 |
| Upper Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 353.25 | 0.00 | 10186.24 | 0.00 | 0.00 | 00 |
| Lower Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 274.75 | 0.00 | 10264.74 | 0.00 | 0.00 | 00 |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | | | |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |

Block :TOWER B (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |

Block :TOWER C (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) Cutout | Total Built Up Area (Sq.mt.) | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Proposed FAR Area (Sq.mt.) Resi. | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |




SCALE : 1:300

Approval Condition :

This Plan Sanction is issued subject to the following conditions and additional conditions mentioned in the Building Licence.

1.Sanction is accorded for the Residential Building plan at E-Khatha No.3574831652, Sy.No:6/1, 6/2, 6/3, 6/4, 304 & 305, Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Ward No.83, Bangalore.
a).Consist of for Tower -A :2 Common Basement + 1Ground + 24 UF
for Tower -B :2 Common Basement + 1Ground + 24 UF
for Tower -C :2 Common Basement + 1Ground + 24 UF only
2.Sanction is accorded for Residential use only. The use of the building shall not be deviated to any other use.
3.The area reserved for car parking shall not be converted for any other purpose.
4.License and approved plans shall be posted in a conspicuous place of the licensed premises. The building license and the copies of sanctioned plans with specifications shall be mounted on a frame and displayed and they shall be made available during inspections.
5.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "PLINTH CERTIFICATE" shall be obtained for the site above 371 Sqm.
6. Construction or reconstruction of the building should be completed before the expiry of five years from the date of issue of license & within one month after its completion shall apply for permission to occupy the building.
7.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space for dumping garbage within the premises shall be provided.
8.The applicant shall construct temporary toilets for the use of construction workers and it should be demolished after the construction.
9.The applicant shall INSURE all workmen involved in the construction work against any accident / untoward incidents arising during the time of construction.
10.The applicant shall not stock any building materials / debris on footpath or on roads or on drains. The debris shall be removed and transported to nearby dumping yard.
11. The applicant / builder is prohibited from selling the setback area / open spaces and the common facility areas, which shall be accessible to all the tenants and occupants.
12.The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Es& D) code leaving 3.00 mts. from the building within the premises.
13. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for installation of telecom equipment and also to make provisions for telecom services as per Bye-law
14.The applicant shall maintain during construction such barricading as considered necessary to prevent dust, debris & other materials endangering the safety of people / structures etc. in & around the site.
15.Permission shall be obtained from forest department / section for cutting trees before the commencement of the work.
16.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in the second instance and cancel the registration if the same is repeated for the third time.
17.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and responsibilities specified in Schedule â€" IV (Bye-law No. 3.6) under sub section IV-8 (e) to (k).
18.The building shall be constructed under the supervision of a registered structural engineer.
19.The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the competent authority.
20.The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintain in good condition for storage of water for non portable purposes or recharge of ground water at all times having a minimum total capacity mentioned in the Bye-law.
21.The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS 1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.
22.Buildings have to be designed by a registered structural engineer. Based on SBC, water table and other criteria foundation and building shall be designed to ensure structural stability. The responsibility of ascertaining structural stability lies on the owner / builder and the structural engineer.
23.The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the building.
24.Facilities for physically handicapped persons prescribed in schedule XI (Bye laws â€" 31) of Building bye-laws 2003 and Government orders time to time shall be ensured.
25.The applicant shall provide at least one common toilet in the ground floor for the use of the visitors / servants / drivers and security men and also entrance shall be approached through a ramp for the Physically Handicapped persons together with the stepped entry.
26.The applicant shall ensure that no inconvenience is caused to the neighbours in the vicinity of construction and that the construction activities shall stop before 07.00 PM and shall not resume the work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.
27.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and inorganic waste and should be processed in the Recycling processing unit installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and 2000 Sqm and above built-up area for Commercial building).
28. The structures with basement/s shall be designed for structural stability and safety to ensure for soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighbouring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.
29.Two-wheeler parking shall be provided as per the building bye-law.
30.The Owner / Association of the high-rise building shall conduct two mock â€" trials in the building, one before the onset of summer and another during the summer and assure complete safety in respect of fire hazards.

31.The Builder / Contractor / Professional responsible for supervision of work shall not materially and structurally deviate the construction from the sanctioned plan, without prior approval of the authority. They shall explain to the owner about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of the Bengaluru City Corporation.
32.The Construction or reconstruction of building shall be commenced within a period of two (2) years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to Bengaluru City Corporation (Sanctioning Authority) of the intention to start work in the form prescribed in Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or footing of walls / columns of the foundation. Otherwise the plan sanction deemed to be cancelled.
33.The Applicant should follow the instruction of BWSSB specified in the DO letter No. BWSSB/A/36/2019-20, Dated. 25-09-2019 regarding utilization of treated water for all construction activities for built up area more than 2000 Sq.mtrs
34.The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016.
35.The Applicant / Owners / Developers shall make necessary provision to charge electrical vehicles.
36.The Applicant / Owner / Developer shall plant one tree for every 240 Sq.m of FAR areas as part thereof in case of Apartment / group housing / multi dwelling unit/development plan and at least Two Trees for single unit.
37.The Applicant / Owner / Developer shall abide by the Rule and Regulations of Karnataka Energy Conservation Building Code (KECBC) 2018.
38.If the Applicant / Owner deviate building construction against the sanctioned plan the action will be initiated according to Bengaluru City Corporation Act â€" 2020.
39.The Applicant / Owner / Architect should also adhere to the special conditions imposed in the Building Licence
40.The applicant / Owner / Architect should abide by the conditions imposed by the planning authority and in the NOC issued from various departments wherever applicable.
41.Bengaluru City Corporation will not be responsible for any dispute that may arise in respect of property in question.
42.In case if the documents submitted in respect of property in question is found to be false or fabricated or if owner/builder has obtained permission by misrepresentation or fraud, the sanctioned plan stands cancelled as per the legal provisions and suitable legal action will be initiated.
43.The applicant / Owner / Builder should register the project in Real Estate Regulatory Authority (RERA) compulsorily before obtaining Plinth certificate in case of Residential Apartments having 8 Units and more.
44.The permission is issued based on information submitted by the applicant. This authority is not responsible for pending court cases in any court of law.
45.The permission is issued based on information submitted by the applicant. This cannot be considered for claiming the ownership of the property.
46.Owner / builder/ GPA holder / developer shall take all precautionary measure to ensure the safety of personnels involved in the construction activities.
47.Due to non-compliance of safety precautionary measures or due to any other reason if loss of lifeor injury or permanent disability occurred to personnels or damages caused to public or private property, Bengaluru City Corporation is not responsible for such loss, Owner / Builder / GPA holder / developer shall hold the responsibility for such damages or loss of life or injury or permanent disability.
48.The Owner/Applicant/Builder or Contractor should ensure that there is no stagnation/ponding ofwater in the site/building during construction to avoid source of any disease or Dengue. For e.g., Water sump, lift pit, basement floor, etc.
49.Construction should not be carried out on Sundays, all Festival Days including 15th August and26th January.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM (Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated: 01-04-2013 :
1.Registration of Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to.
2.The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and list of construction workers engaged at the time of issue of Plinth Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place.
3.The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him.
4.t any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board"
Note:
1.Accommodation shall be provided for setting up of schools for imparting education to the children of construction workers in the labour camps / construction sites.
2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory.
3.Employment of child labour in the construction activities strictly prohibited.
4.Obtaining NOC from the Labour Department before commencing the construction work is a must.

Color Notes

COLOR INDEX

- PLOT BOUNDARY
- ABUTTING ROAD
- PROPOSED WORK (COVERAGE AREA)
- EXISTING (To be retained)
- EXISTING (To be demolished)

| | | |
|---|---|---|
| AREA STATEMENT (Bengaluru East City Corporation) | VERSION NO.: 1.0.25 | |
| | VERSION DATE: 30/01/2026 | |
| PROJECT DETAIL: | | |
| Authority: Bengaluru East City Corporation | Plot Use: Residential | |
| Proposal Department: HO - Bengaluru East City Corporation | Plot SubUse: Apartment | |
| Project No: GBA/BECC/0356/25-26 | Land Use Zone: Residential (Mixed) | |
| Application Type: General | Plot/Sub Plot No.: 3574831652 | |
| Proposal Type: Building Permission | City Survey No.: 6/1, 6/2, 6/3, 6/4, 304 & 305 | |
| Nature of Sanction: NEW | Khata No. (As per Khata Extract): 3574831652 | |
| Location: RING-III | Locality / Street of the property: Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore | |
| Building Line Specified as per Z.R: NA | | |
| Zone: Mahadevapura | | |
| Ward: Ward 083 | | |
| Planning District: 314-Sadara Mangala | | |
| AREA DETAILS: | | SQ.MT. |
| AREA OF PLOT (Minimum) | (A) | 21144.65 |
| Deduction for NetPlot Area | | |
| Surrender Free of Cost | | 538.58 |
| Total | | 538.58 |
| NET AREA OF PLOT | (A-Deductions) | 20606.07 |
| Deduction for Balance Plot Area | | |
| RW Area surrendered Free of Cost | | 538.58 |
| Amenity Area | | 1057.23 |
| Total | | 1595.81 |
| BALANCE AREA OF PLOT | (A-Deductions) | 19548.84 |
| COVERAGE CHECK | | |
| Permissible Coverage area (65.00 %) | | 12706.74 |
| Proposed Coverage Area (10.84 %) | | 2118.24 |
| Achieved Net coverage area ( 10.84 % ) | | 2118.24 |
| Balance coverage area left ( 54.16 % ) | | 10588.50 |
| FAR CHECK | | |
| Permissible F.A.R. as per zoning regulation 2015 ( 2.25 ) | | 45196.69 |
| Total Perm. FAR area ( 2.25 ) | | 45196.69 |
| Residential FAR (100.00%) | | 45191.52 |
| Proposed FAR Area | | 45191.52 |
| Achieved Net FAR Area ( 2.25 ) | | 45191.52 |
| Balance FAR Area ( 0.00 ) | | 5.17 |
| BUILT UP AREA CHECK | | |
| Proposed BuiltUp Area | | 72462.88 |
| Substructure Area Add in BUA (Layout Lvl) | | 198.16 |
| Achieved BuiltUp Area | | 72661.05 |

Approval Date :

Block USE/SUBUSE Details

| Block Name | Block Use | Block SubUse | Block Structure | Block Land Use Category |
|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |

Required Parking(Table 7a)

| Block Name | Type | SubUse | Area (Sq.mt.) | Units Reqd. | Units Prop. | Car Reqd./Unit | Car Reqd. | Car Prop. |
|---|---|---|---|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| | Total : | | - | - | - | - | 354 | 426 |

Parking Check (Table 7b)

| Vehicle Type | Reqd. No. | Reqd. Area (Sq.mt.) | Achieved No. | Achieved Area (Sq.mt.) |
|---|---|---|---|---|
| Car | 354 | 4867.50 | 426 | 5857.50 |
| Visitor's Car Parking | 36 | 495.00 | 0 | 0.00 |
| Total Car | 390 | 5362.50 | 426 | 5857.50 |
| TwoWheeler | - | 495.00 | 0 | 0.00 |
| Other Parking | - | - | - | 14635.10 |
| Total | | 5857.50 | | 20492.60 |

SCHEDULE OF OPENINGS

| SL.NO | TAG | SIZE |
|---|---|---|
| 01 | MD1 | 1200 X 2400 |
| 02 | D2 | 1000 X 2400 |
| 03 | D3 | 750 X 2400 |
| 04 | CD1 | 1200 X 2400 |
| 05 | FD1 | 2400 X 2400 |
| 06 | W | 2500 X 2400 |
| 07 | W1 | 1200 X 2400 |
| 08 | W2 | 900 X 2400 |
| 09 | W3 | 600 X 1500 |
| 10 | BW1 | 1800 X 1800 |
| 11 | KW1 | 925 X 1500 |
| 12 | KW2 | 600 X 1500 |
| 13 | V1 | 600 X 1300 |


OWNER / GPA HOLDER'S SIGNATURE

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER :
M/S DISHA WHITEHILL PROPERTIES LLP REP BY DESIGNATED PARTNERS ANJI REDDY METTU & RAJA SEKHAR KAMISETTY GPA HOLDER FOR ANSAR PASHA & OTHERS
43/2, 2nd floor, Whitefield Main Road, Bangalore

ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE
Ganesh N
4032, 28th Cross, 17th Main Road, BSK 2nd Stage, Bangalore – 560070.
E-4289/17-18


PROJECT TITLE :
PROPOSED RESIDENTIAL APARTMENT BUILDING AT E-KHATHA NO. 3574831652, SY.NO:6/1, 6/2, 6/3, 6/4, 304 & 305, KADUGODI VILLAGE, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, WARD NO.83.

DRAWING TITLE :
GROUND FLOOR PLAN

SHEET NO : 4

SANCTIONING AUTHORITY :

| ASSISTANT / JUNIOR ENGINEER / TOWN PLANNER | ASSISTANT DIRECTOR | DEPUTY DIRECTOR | JOINT DIRECTOR |
|---|---|---|---|
| | | | |


This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.

HO – NORTH

Digitally signed by RAGHAVENDRA C N
Designation :Joint Director Town Planning (JDTP)
FileNo :GBA/BECC/Addl.CTP/0029/25-26


This is system generated report and does not require any signature.
Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.




Block :TOWER A (RESIDENTIAL APARTMENT BUILDING)


| Floor Name | Gross Buitup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Ramp | Refuge Area | Parking | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 |
| Twentyfirst Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 0.00 | 0.00 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 131.38 | 0.00 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 0.00 | 245.75 | 0.00 | 0.00 | 0.00 | 407.84 | 407.84 | 03 |
| Total | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 0.00 | 0.00 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks | 1 | | | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 | | |

Block :TOWER B (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Buitup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | | | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 |
| Twentyfirst Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 0.00 | 0.00 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 131.38 | 0.00 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 0.00 | 245.75 | 0.00 | 0.00 | 0.00 | 407.84 | 407.84 | 03 |
| Total | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 0.00 | 0.00 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks | 1 | | | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 | | |

FAR &Tenement Details

| Block | No. of Same Bldg | Gross Built Up Area (Sq.mt.) | Deductions From Gross BuA(Area Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Cutout | | StairCase | Lift | Lift Machine | Void | SubStructure | Ramp | Recreational Space | Parking | Resi. | | |
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | 1 | 39943.95 | 1488.76 | 38455.19 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 25493.96 | 15063.77 | 15063.77 | 117 |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| Grand Total: | 3 | 76845.93 | 4383.04 | 72462.89 | 3845.88 | 1012.03 | 64.65 | 1131.39 | 22.50 | 628.00 | 116.13 | 25493.96 | 45191.31 | 45191.31 | 351.00 |




Approval Condition :

This Plan Sanction is issued subject to the following conditions and additional conditions mentioned in the Building Licence.
1.Sanction is accorded for the Residential Building plan at E-Khatha No.3574831652, Sy.No.6/1, 6/2, 6/3, 6/4, 304 & 305, Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Ward No.83, Bangalore.
a) Consist of for Tower -A ,2 Common Basement + 1Ground + 24 UF
for Tower -B 2 Common Basement + 1Ground + 24 UF
for Tower -C 2 Common Basement + 1Ground + 24 UF only
2.Sanction is accorded for Residential use only. The use of the building shall not be deviated to any other use.
3.The area reserved for car parking shall not be converted for any other purpose.
4.License and approved plans shall be posted in a conspicuous place of the licensed premises. The building license and the copies of sanctioned plans with specifications shall be mounted on a frame and displayed and they shall be made available during inspections.
5.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "PLINTH CERTIFICATE" shall be obtained for the site above 371 Sqm.
6. Construction or reconstruction of the building should be completed before the expiry of five years from the date of issue of license & within one month after its completion shall apply for permission to occupy the building.
7.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space for dumping garbage within the premises shall be provided.
8.The applicant shall construct temporary toilets for the use of construction workers and it should be demolished after the construction.
9.The applicant shall INSURE all workmen involved in the construction work against any accident / untoward incidents arising during the time of construction.
10.The applicant shall not block any building materials / debris on footpath or on roads or on drains. The debris shall be removed and transported to nearby dumping yard.
11. The applicant / builder is prohibited from selling the setback area / open spaces and the common facility areas, which shall be accessible to all the tenants and occupants.
12.The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Esk.D) code leaving 3.00 mts. from the building within the premises.
13. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for installation of telecom equipment and also to make provisions for telecom services as per Bye-law.
14.The applicant shall maintain during construction such barricading as considered necessary to prevent dust, debris & other materials endangering the safety of people / structures etc. in & around the site.
15.Permission shall be obtained from forest department / section for cutting trees before the commencement of the work.
16.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in the second instance and cancel the registration if the same is repeated for the third time.
17.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and responsibilities specified in Schedule â€“ IV (Bye-law No. 3.6) under sub section IV-5 (a) to (k).
18.The building shall be constructed under the supervision of a registered structural engineer.
19.The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the competent authority.
20.The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintain in good condition for storage of water for non portable purposes or recharge of ground water at all times having a minimum total capacity mentioned in the Bye-law.
21.The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS 1893-2002 published by the Bureau of Indian Standards maintaining the required distance from the building line.
22.Buildings have to be designed by a registered structural engineer. Based on SBC, water table and other criteria foundation and building shall be designed to ensure safety & stability. The responsibility of ascertaining structural stability lies on the owner / builder and the structural engineer.
23.The applicant should provide rain water harvesting as per table 17 of Bye-law No. 29 for the building.
24.Facilities for physically handicapped persons prescribed in schedule XI (Bye laws â€“ 31) of Building bye-laws 2003 and Government orders time to time shall be ensured.
25.The applicant shall provide at least one common toilet in the ground floor for the use of visitors / servants / drivers and security men and also entrance shall be approached through a ramp for the Physically Handicapped persons together with the stepped entry.
26.The applicant shall ensure that no inconvenience is caused to the neighbours in the vicinity of construction and that the construction activities shall stop before 07.00 PM and shall not resume the work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.
27.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and inorganic waste and should be processed in the Recycling processing unit installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and 2000 Sqm and above built-up area for Commercial building).
28. The structures with basements shall be designed for structural stability and safety to ensure for soil stabilization during the course of excavation for basements with safe design for retaining walls and super structure for the safety of the structure as well as neighbouring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.
29.Two-wheeler parking shall be provided as per the building bye-law.
30.The Owner / Association of the high-rise building shall conduct two mock â€" trials in the building, one before the onset of summer and another during the summer and assure complete safety in respect of fire hazards.
31.The Builder / Contractor / Professional responsible for supervision of work shall not materially and structurally deviate the construction from the sanctioned plan, without prior approval of the authority. They shall explain to the owner about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of the Bengaluru City Corporation.
32.The Construction or reconstruction of building shall be commenced within a period of two (2) years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to Bengaluru City Corporation (Sanctioning Authority) of the intention to start work in the form prescribed in Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundations or footing of walls / columns of the foundation. Otherwise the plan sanction deemed to be cancelled.
33.The Applicant should follow the instruction of BWSSB specified in the DO letter No. BWSSB/A/36/2019-20, Dated. 25-09-2019 regarding utilization of treated water for all construction activities for built up area more than 2000 Sq.mtrs
34.The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016.
35.The Applicant / Owners / Developers shall make necessary provision to charge electrical vehicles.
36.The Applicant / Owner / Developer shall plant one tree for every 240 Sq.m of FAR areas as part thereof in case of Apartment / group housing / multi dwelling unit/development plan and at least Two Trees for single unit.
37.The Applicant / Owner / Developer shall abide by the Rule and Regulations of Karnataka Energy Conservation Building Code (KECBC) 2018.
38.If the Applicant / Owner deviate building construction against the sanctioned plan the action will be initiated according to Bengaluru City Corporation Act â€" 2020.
39.The Applicant / Owner / Architect should also adhere to the special conditions imposed in the Building Licence
40.The applicant / Owner / Architect should abide by the conditions imposed by the planning authority and in the NOC issued from various departments wherever applicable.
41.Bengaluru City Corporation will not be responsible for any dispute that may arise in respect of property in question.
42.In case if the documents submitted in respect of property in question is found to be false or fabricated or if owner/builder has obtained permission by misrepresentation or fraud, the sanctioned plan stands cancelled as per the legal provisions and suitable legal action will be initiated.
43.The applicant / Owner / Builder should register the project in Real Estate Regulatory Authority (RERA) compulsorily before obtaining Plinth certificate in case of Residential Apartments having 8 Units and more.
44.The permission is issued based on information submitted by the applicant. This Authority is not responsible for pending court cases in any court of law.
45.The permission is issued based on information submitted by the applicant. This cannot be considered for claiming the ownership of the property.
46.Owner / builder/ GPA holder / developer shall take all precautionary measure to ensure the safety of personnels involved in the construction activities.
47.Due to non-compliance of safety precautionary measures or due to any other reason if loss of lifeor injury or permanent disability occurred to personnels or damages caused to public or private property, Bengaluru City Corporation is not responsible for such loss, Owner / Builder / GPA holder / developer shall hold the responsibility for such damages or loss of life or injury or permanent disability.
48.The Owner/Applicant/Builder or Contractor should ensure that there is no stagnation/ponding ofwater in the site/building during construction to avoid source of any disease or Dengue. For e.g. , Water sump, lift pit, basement floor, etc.
49.Construction should not be carried out on Sundays, all Festival Days including 15th August and26th January.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM (Hosadaagi Hoodike) Letter No. LD95LET/2013, dated: 01-04-2013 :
1.Registration of Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to.
2.The Applicant / Builder / Owner / Contractor should submit the Registration / Enrollment and list of construction workers engaged at the time of issue of Plinth Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place.
3.The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him, at any point of time.No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board"
1.Accommodation shall be provided for setting up of schools for imparting education to the children of construction workers in the labour camps / construction sites.
2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory.
3.Employment of child labour in the construction activities strictly prohibited.
4.Obtaining NOC from the Labour Department before commencing the construction work is a must.

Color Notes

COLOR INDEX
- PLOT BOUNDARY
- ABUTTING ROAD
- PROPOSED WORK (COVERAGE AREA)
- EXISTING (To be retained)
- EXISTING (To be demolished)

SCALE : 1:150

| | |
|---|---|
| AREA STATEMENT (Bengaluru East City Corporation) | VERSION NO.: 1.0.25 |
| | VERSION DATE: 30/01/2026 |
| PROJECT DETAIL: | |
| Authority: Bengaluru East City Corporation | Plot Use: Residential |
| Proposal Department: HO - Bengaluru East City Corporation | Plot SubUse: Apartment |
| Project No.: PRJEC/COS9/25-26 | Land Use Zone: Residential (Mixed) |
| Application Type: General | Plot/Sub Plot No.: 307/4531652 |
| Proposal Type: Building Permission | City Survey No.: 6/1, 6/2, 6/3, 6/4, 304 & 305 |
| Nature of Sanction: NEW | Khata No. (As per Khata Extract): 3574831652 |
| Location: RING-III | Locality / Street of the property: Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore |
| Building Line Specified as per Z.R: NA | |
| Zone: Mahadevapura | |
| Ward: Ward-083 | |
| Planning District: 314-Sadara Mangala | |

| AREA DETAILS: | | SQ.MT. |
|---|---|---|
| AREA OF PLOT (Minimum) | (A) | 21144.85 |
| Deduction for NetPlot Area | | |
| Surrender Free of Cost | | 538.98 |
| Total: | | 538.98 |
| NET AREA OF PLOT | (A-Deductions) | 20606.07 |
| Deduction for Balance Plot Area | | |
| RW Area surrendered Free of Cost | | 538.98 |
| Amenity Area | | 1057.23 |
| Total: | | 1595.81 |
| BALANCE AREA OF PLOT | (A-Deductions) | 19548.84 |
| COVERAGE CHECK | | |
| Permissible Coverage area (65.00 %) | | 12706.74 |
| Proposed Coverage Area (10.84 %) | | 2118.24 |
| Achieved Net coverage area ( 10.84 % ) | | 2118.24 |
| Balance coverage area left ( 54.16 % ) | | 10588.50 |
| FAR CHECK | | |
| Permissible F.A.R. as per zoning regulation 2015 ( 2.25 ) | | 43196.69 |
| Total Perm. FAR area ( 2.25 ) | | 43196.69 |
| Residential FAR (100.00%) | | 43191.32 |
| Proposed FAR Area | | 43191.32 |
| Achieved Net FAR Area ( 2.25 ) | | 43191.32 |
| Balance FAR Area ( 0.00 ) | | 5.17 |
| BUILT-UP AREA CHECK | | |
| Proposed BuiltUp Area | | 72462.88 |
| Substructure Area Add in BUA (Layout Lvl) | | 198.16 |
| Achieved BuiltUp Area | | 72661.05 |

Approval Date :

Block USE/SUBUSE Details

| Block Name | Block Use | Block SubUse | Block Structure | Block Land Use Category |
|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |

Required Parking(Table 7a)

| Block Name | Type | SubUse | Area (Sq.mt.) | Units | | Car | |
|---|---|---|---|---|---|---|---|
| | | | | Reqd. | Prop. | Reqd./Unit | Reqd. Prop. |
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 - |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 - |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 - |
| Total : | | | - | - | - | 354 | 426 |

Parking Check (Table 7b)

| Vehicle Type | Reqd. | | Achieved | |
|---|---|---|---|---|
| | No. | Area (Sq.mt.) | No. | Area (Sq.mt.) |
| Car | 354 | 8857.50 | 426 | 5857.50 |
| Visitor's Car Parking | 36 | 495.00 | 0 | 0.00 |
| Total Car | 390 | 9352.50 | 426 | 5857.50 |
| Two/Wheeler | - | 495.00 | 0 | 0.00 |
| Other Parking | - | - | - | 14828.50 |
| Total : | | 9857.50 | | 20692.60 |

SCHEDULE OF OPENINGS

| SL.NO | TAG | SIZE |
|---|---|---|
| 01 | MD1 | 1200 X 2400 |
| 02 | D2 | 1000 X 2400 |
| 03 | D3 | 750 X 2400 |
| 04 | CD1 | 1200 X 2400 |
| 05 | FD1 | 2400 X 2400 |
| 06 | W | 2500 X 2400 |
| 07 | W1 | 1200 X 2400 |
| 08 | W2 | 900 X 2400 |
| 09 | W3 | 600 X 1500 |
| 10 | BW1 | 1800 X 1800 |
| 11 | KW1 | 900 X 1500 |
| 12 | KW2 | 600 X 1500 |
| 13 | V1 | 600 X 1300 |

OWNER / GPA HOLDER'S SIGNATURE

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER :
M/S.OSHAN WHITEHILL PROPERTIES LLP REP BY DESIGNATED PARTNERS ANJI REDDY METTU & RAJA SEKHAR KAMSETTY GPA HOLDER FOR ANSARI PASHA & OTHERS
43/2, 2nd floor, Whitefield Main Road, Bangalore

ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE
Ganesh N
#232, 28th Cross, 17th Main Road, BSK 2nd Stage, Bangalore – 560070.
E-4289/17-18

PROJECT TITLE :
PROPOSED RESIDENTIAL APARTMENT BUILDING AT E-KHATHA NO 3574831652, SY.NO.6/1, 6/2, 6/3, 6/4, 304 & 305, KADUGODI VILLAGE, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, WARD NO.83.

DRAWING TITLE :
GROUND, 1st, TYPICAL 2nd to 19th & 21st, 22nd FLOOR, 20th, 23rd, 24th & TERRACE FLOOR PLAN

SHEET NO : 5

SANCTIONING AUTHORITY :


| ASSISTANT DIRECTOR (TOWN PLANNING) | ASSISTANT DIRECTOR | DEPUTY DIRECTOR | JOINT DIRECTOR |
|---|---|---|---|
| | | | |

This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.


HO – NORTH

This is system generated report and does not require any signature.
Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.

UserDefinedMetric (1500.00 x 900.00MM)




(TOWER - A, B & C)
SECTION AT "A-A"





(TOWER - A, B & C)
EAST SIDE ELEVATION

UserDefinedMetric (1500.00 x 900.00MM)

FAR &Tenement Details

| Block | No. of Same Bldg | Gross Built Up Area (Sq.mt.) | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | Cutout | | StairCase | Lift | Lift Machine | Void | SubStructure | Ramp | Recreational Space | Parking | Resi. | | |
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | 1 | 39943.95 | 1488.76 | 38455.19 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | 1 | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 0.00 | 38.71 | 0.00 | 15063.77 | 15063.77 | 117 |
| Grand Total: | 3 | 76845.93 | 4383.04 | 72462.89 | 3845.88 | 1012.03 | 64.65 | 1131.39 | 22.50 | 628.00 | 116.13 | 20450.98 | 45191.31 | 45191.31 | 351.00 |




RAIN WATER SOAK PIT DETAIL (1.20 M DIA X 6M DEEP)

Block :TOWER A (RESIDENTIAL APARTMENT BUILDING)


| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Ramp | Refuge Area | Parking | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 38.71 | 0.00 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 0.00 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 0.00 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 0.00 | 0.00 | 407.84 | 407.84 | 03 |
| Upper Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 353.25 | 0.00 | 10186.24 | 0.00 | 0.00 | 00 |
| Lower Basement Floor | 10746.48 | 20.81 | 10725.67 | 150.87 | 35.30 | 0.00 | 0.00 | 0.00 | 274.75 | 0.00 | 10264.74 | 0.00 | 0.00 | 00 |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | | | |
| Total: | 39943.94 | 1488.76 | 38455.18 | 1483.12 | 384.41 | 21.55 | 377.13 | 7.50 | 628.00 | 38.71 | 20450.98 | 15063.77 | 15063.77 | 117 |

Block :TOWER B (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |

Block :TOWER C (RESIDENTIAL APARTMENT BUILDING)

| Floor Name | Gross Builtup Area | Deductions From Gross BUA(Area in Sq.mt.) | Total Built Up Area (Sq.mt.) | Deductions (Area in Sq.mt.) | | | | | | Proposed FAR Area (Sq.mt.) | Total FAR Area (Sq.mt.) | Tnmt (No.) |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Cutout | | StairCase | Lift | Lift Machine | Void | Substructure | Refuge Area | Resi. | | |
| Terrace Floor | 95.60 | 0.00 | 95.60 | 74.05 | 0.00 | 21.55 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 00 |
| Twentyfourth Floor | 719.10 | 80.21 | 638.89 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 528.32 | 528.32 | 00 |
| Twentythird Floor | 771.06 | 49.78 | 721.28 | 88.72 | 21.55 | 0.00 | 0.00 | 0.30 | 0.00 | 610.71 | 610.71 | 05 |
| Twentysecond Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentyfirst Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twentieth Floor | 774.21 | 62.17 | 712.04 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 38.71 | 620.83 | 620.83 | 05 |
| Nineteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventeenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Thirteenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Twelfth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eleventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Tenth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Ninth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Eighth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Seventh Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Sixth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fifth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Fourth Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Third Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| Second Floor | 730.14 | 57.49 | 672.65 | 40.43 | 11.77 | 0.00 | 0.00 | 0.30 | 0.00 | 620.15 | 620.15 | 05 |
| First Floor | 729.99 | 53.04 | 676.95 | 40.43 | 11.77 | 0.00 | 131.38 | 0.30 | 0.00 | 493.07 | 493.07 | 04 |
| Ground Floor | 758.23 | 52.14 | 706.09 | 40.43 | 11.77 | 0.00 | 245.75 | 0.30 | 0.00 | 407.84 | 407.84 | 03 |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |
| Total Number of Same Blocks : | 1 | | | | | | | | | | | |
| Total: | 18450.99 | 1447.14 | 17003.85 | 1181.38 | 313.81 | 21.55 | 377.13 | 7.50 | 38.71 | 15063.77 | 15063.77 | 117 |




Approval Condition :

This Plan Sanction is issued subject to the following conditions and additional conditions mentioned in the Building Licence.

1.Sanction is accorded for the Residential Building plan at E-Khatha No.3574831652, Sy.No:6/1, 6/2, 6/3, 6/4, 304 & 305, Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Ward No.83, Bangalore.
a).Consist of for Tower -A :2 Common Basement + 1Ground + 24 UF
for Tower -B :2 Common Basement + 1Ground + 24 UF
for Tower -C :2 Common Basement + 1Ground + 24 UF only
2.Sanction is accorded for Residential use only. The use of the building shall not be deviated to any other use.
3.The area reserved for car parking shall not be converted for any other purpose.
4.License and approved plans shall be posted in a conspicuous place of the licensed premises. The building license and the copies of sanctioned plans with specifications shall be mounted on a frame and displayed and they shall be made available during inspections.
5.On completion of foundation or footings before erection of walls on the foundation and in the case of columnar structure before erecting the columns "PLINTH CERTIFICATE" shall be obtained for the site above 371 Sqm.
6. Construction or reconstruction of the building should be completed before the expiry of five years from the date of issue of license & within one month after its completion shall apply for permission to occupy the building.
7.Necessary ducts for running telephone cables, cubicles at ground level for postal services & space for dumping garbage within the premises shall be provided.
8.The applicant shall construct temporary toilets for the use of construction workers and it should be demolished after the construction.
9.The applicant shall INSURE all workmen involved in the construction work against any accident / untoward incidents arising during the time of construction.
10.The applicant shall not stock any building materials / debris on footpath or on roads or on drains. The debris shall be removed and transported to nearby dumping yard.
11. The applicant / builder is prohibited from selling the setback area / open spaces and the common facility areas, which shall be accessible to all the tenants and occupants.
12.The applicant shall provide a space for locating the distribution transformers & associated equipment as per K.E.R.C (Es& D) code leaving 3.00 mts. from the building within the premises.
13. The applicant shall provide a separate room preferably 4.50 x 3.65 m in the basement for installation of telecom equipment and also to make provisions for telecom services as per Bye-law
14.The applicant shall maintain during construction such barricading as considered necessary to prevent dust, debris & other materials endangering the safety of people / structures etc. in & around the site.
15.Permission shall be obtained from forest department / section for cutting trees before the commencement of the work.
16.If any owner / builder contravenes the provisions of Building Bye-laws and rules in force, the Architect / Engineer / Supervisor will be informed by the Authority in the first instance, warned in the second instance and cancel the registration if the same is repeated for the third time.
17.Technical personnel, applicant or owner as the case may be shall strictly adhere to the duties and responsibilities specified in Schedule â€" IV (Bye-law No. 3.6) under sub section IV-8 (e) to (k).
18.The building shall be constructed under the supervision of a registered structural engineer.
19.The building should not be occupied without obtaining "OCCUPANCY CERTIFICATE" from the competent authority.
20.The applicant shall ensure that the Rain Water Harvesting Structures are provided & maintain in good condition for storage of water for non portable purposes or recharge of ground water at all times having a minimum total capacity mentioned in the Bye-law.
21.The building shall be designed and constructed adopting the norms prescribed in National Building Code and in the "Criteria for earthquake resistant design of structures" bearing No. IS 1893-2002 published by the Bureau of Indian Standards making the building resistant to earthquake.
22.Buildings have to be designed by a registered structural engineer. Based on SBC, water table and other criteria foundation and building shall be designed to ensure structural stability. The responsibility of ascertaining structural stability lies on the owner / builder and the structural engineer.
23.The applicant should provide solar water heaters as per table 17 of Bye-law No. 29 for the building.
24.Facilities for physically handicapped persons prescribed in schedule XI (Bye laws â€" 31) of Building bye-laws 2003 and Government orders time to time shall be ensured.
25.The applicant shall provide at least one common toilet in the ground floor for the use of the visitors / servants / drivers and security men and also entrance shall be approached through a ramp for the Physically Handicapped persons together with the stepped entry.
26.The applicant shall ensure that no inconvenience is caused to the neighbours in the vicinity of construction and that the construction activities shall stop before 07.00 PM and shall not resume the work earlier than 7.00 AM to avoid hindrance during late hours and early morning hours.
27.Garbage originating from Apartments / Commercial buildings shall be segregated into organic and inorganic waste and should be processed in the Recycling processing unit installed at site for its re-use / disposal (Applicable for Residential units of 20 and above and 2000 Sqm and above built-up area for Commercial building).
28. The structures with basement/s shall be designed for structural stability and safety to ensure for soil stabilization during the course of excavation for basement/s with safe design for retaining walls and super structure for the safety of the structure as well as neighbouring property, public roads and footpaths, and besides ensuring safety of workman and general public by erecting safe barricades.
29.Two-wheeler parking shall be provided as per the building bye-law.
30.The Owner / Association of the high-rise building shall conduct two mock â€" trials in the building, one before the onset of summer and another during the summer and assure complete safety in respect of fire hazards.

31.The Builder / Contractor / Professional responsible for supervision of work shall not materially and structurally deviate the construction from the sanctioned plan, without prior approval of the authority. They shall explain to the owner about the risk involved in contravention of the provisions of the Act, Rules, Bye-laws, Zoning Regulations, Standing Orders and Policy Orders of the Bengaluru City Corporation.
32.The Construction or reconstruction of building shall be commenced within a period of two (2) years from date of issue of licence. Before the expiry of two years, the Owner / Developer shall give intimation to Bengaluru City Corporation (Sanctioning Authority) of the intention to start work in the form prescribed in Schedule VI. Further, the Owner / Developer shall give intimation on completion of the foundation or footing of walls / columns of the foundation. Otherwise the plan sanction deemed to be cancelled.
33.The Applicant should follow the instruction of BWSSB specified in the DO letter No. BWSSB/A/36/2019-20, Dated. 25-09-2019 regarding utilization of treated water for all construction activities for built up area more than 2000 Sq.mtrs
34.The Applicant / Owner / Developer shall abide by the collection of solid waste and its segregation as per solid waste management bye-law 2016.
35.The Applicant / Owners / Developers shall make necessary provision to charge electrical vehicles.
36.The Applicant / Owner / Developer shall plant one tree for every 240 Sq.m of FAR areas as part thereof in case of Apartment / group housing / multi dwelling unit/development plan and at least Two Trees for single unit.
37.The Applicant / Owner / Developer shall abide by the Rule and Regulations of Karnataka Energy Conservation Building Code (KECBC) 2018.
38.If the Applicant / Owner deviate building construction against the sanctioned plan the action will be initiated according to Bengaluru City Corporation Act â€" 2020.
39.The Applicant / Owner / Architect should also adhere to the special conditions imposed in the Building Licence
40.The applicant / Owner / Architect should abide by the conditions imposed by the planning authority and in the NOC issued from various departments wherever applicable.
41.Bengaluru City Corporation will not be responsible for any dispute that may arise in respect of property in question.
42.In case if the documents submitted in respect of property in question is found to be false or fabricated or if owner/builder has obtained permission by misrepresentation or fraud, the sanctioned plan stands cancelled as per the legal provisions and suitable legal action will be initiated.
43.The applicant / Owner / Builder should register the project in Real Estate Regulatory Authority (RERA) compulsorily before obtaining Plinth certificate in case of Residential Apartments having 8 Units and more.
44.The permission is issued based on information submitted by the applicant. This authority is not responsible for pending court cases in any court of law.
45.The permission is issued based on information submitted by the applicant. This cannot be considered for claiming the ownership of the property.
46.Owner / builder/ GPA holder / developer shall take all precautionary measure to ensure the safety of personnels involved in the construction activities.
47.Due to non-compliance of safety precautionary measures or due to any other reason if loss of lifeor injury or permanent disability occurred to personnels or damages caused to public or private property, Bengaluru City Corporation is not responsible for such loss, Owner / Builder / GPA holder / developer shall hold the responsibility for such damages or loss of life or injury or permanent disability.
48.The Owner/Applicant/Builder or Contractor should ensure that there is no stagnation/ponding ofwater in the site/building during construction to avoid source of any disease or Dengue. For e.g., Water sump, lift pit, basement floor, etc.
49.Construction should not be carried out on Sundays, all Festival Days including 15th August and26th January.

Special Condition as per Labour Department of Government of Karnataka vide ADDENDUM (Hosadaagi Hoodike) Letter No. LD/95/LET/2013, dated: 01-04-2013 :
1.Registration of Applicant / Builder / Owner / Contractor and the construction workers working in the construction site with the "Karnataka Building and Other Construction workers Welfare Board"should be strictly adhered to.
2.The Applicant / Builder / Owner / Contractor should submit the Registration of establishment and list of construction workers engaged at the time of issue of Plinth Certificate. A copy of the same shall also be submitted to the concerned local Engineer in order to inspect the establishment and ensure the registration of establishment and workers working at construction site or work place.
3.The Applicant / Builder / Owner / Contractor shall also inform the changes if any of the list of workers engaged by him.
4.t any point of time No Applicant / Builder / Owner / Contractor shall engage a construction worker in his site or work place who is not registered with the "Karnataka Building and Other Construction workers Welfare Board"
Note:
1.Accommodation shall be provided for setting up of schools for imparting education to the children of construction workers in the labour camps / construction sites.
2.List of children of workers shall be furnished by the builder / contractor to the Labour Department which is mandatory.
3.Employment of child labour in the construction activities strictly prohibited.
4.Obtaining NOC from the Labour Department before commencing the construction work is a must.

N
SCALE : 1:150

Color Notes

COLOR INDEX

PLOT BOUNDARY
ABUTTING ROAD
PROPOSED WORK (COVERAGE AREA)
EXISTING (To be retained)
EXISTING (To be demolished)

| | | |
|---|---|---|
| AREA STATEMENT (Bengaluru East City Corporation) | VERSION NO.: 1.0.25 | |
| | VERSION DATE: 30/01/2026 | |
| PROJECT DETAIL: | | |
| Authority: Bengaluru East City Corporation | Plot Use: Residential | |
| Proposal Department: HO - Bengaluru East City Corporation | Plot SubUse: Apartment | |
| Project No: GBA/BECC/0356/25-26 | Land Use Zone: Residential (Mixed) | |
| Application Type: General | Plot/Sub Plot No.: 3574831652 | |
| Proposal Type: Building Permission | City Survey No.: 6/1, 6/2, 6/3, 6/4, 304 & 305 | |
| Nature of Sanction: NEW | Khata No. (As per Khata Extract): 3574831652 | |
| Location: RING-III | Locality / Street of the property: Kadugodi Village, Bidarahalli Hobli, Bangalore East Taluk, Bangalore | |
| Building Line Specified as per Z.R: NA | | |
| Zone: Mahadevapura | | |
| Ward: Ward 083 | | |
| Planning District: 314-Sadara Mangala | | |
| AREA DETAILS: | | SQ.MT. |
| AREA OF PLOT (Minimum) | (A) | 21144.65 |
| Deduction for NetPlot Area | | |
| Surrender Free of Cost | | 538.58 |
| Total | | 538.58 |
| NET AREA OF PLOT | (A-Deductions) | 20606.07 |
| Deduction for Balance Plot Area | | |
| RW Area surrendered Free of Cost | | 538.58 |
| Amenity Area | | 1057.23 |
| Total | | 1595.81 |
| BALANCE AREA OF PLOT | (A-Deductions) | 19548.84 |
| COVERAGE CHECK | | |
| Permissible Coverage area (65.00 %) | | 12706.74 |
| Proposed Coverage Area (10.84 %) | | 2118.24 |
| Achieved Net coverage area ( 10.84 % ) | | 2118.24 |
| Balance coverage area left ( 54.16 % ) | | 10588.50 |
| FAR CHECK | | |
| Permissible F.A.R. as per zoning regulation 2015 ( 2.25 ) | | 45196.69 |
| Total Perm. FAR area ( 2.25 ) | | 45196.69 |
| Residential FAR (100.00% ) | | 45191.52 |
| Proposed FAR Area | | 45191.52 |
| Achieved Net FAR Area ( 2.25 ) | | 45191.52 |
| Balance FAR Area ( 0.00 ) | | 5.17 |
| BUILT UP AREA CHECK | | |
| Proposed BuiltUp Area | | 72462.88 |
| Substructure Area Add in BUA (Layout Lvl) | | 198.16 |
| Achieved BuiltUp Area | | 72661.05 |

Approval Date :

Block USE/SUBUSE Details

| Block Name | Block Use | Block SubUse | Block Structure | Block Land Use Category |
|---|---|---|---|---|
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | Highrise Building | R |

Required Parking(Table 7a)

| Block Name | Type | SubUse | Area (Sq.mt.) | Units | | Car | | |
|---|---|---|---|---|---|---|---|---|
| | | | | Reqd. | Prop. | Reqd./Unit | Reqd. | Prop. |
| TOWER A (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER B (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| TOWER C (RESIDENTIAL APARTMENT BUILDING) | Residential | Apartment | 50 - 225 | 1 | - | 1 | 116 | - |
| | | | 225.001 - 375 | 1 | - | 2 | 2 | - |
| | Total : | | - | - | - | - | 354 | 426 |

Parking Check (Table 7b)

| Vehicle Type | Reqd. | | Achieved | |
|---|---|---|---|---|
| | No. | Area (Sq.mt.) | No. | Area (Sq.mt.) |
| Car | 354 | 4867.50 | 426 | 5857.50 |
| Visitor's Car Parking | 36 | 495.00 | 0 | 0.00 |
| Total Car | 390 | 5362.50 | 426 | 5857.50 |
| TwoWheeler | - | 495.00 | 0 | 0.00 |
| Other Parking | - | - | - | 14635.10 |
| Total | | 5857.50 | | 20492.60 |

SCHEDULE OF OPENINGS

| SL.NO | TAG | SIZE |
|---|---|---|
| 01 | MD1 | 1200 X 2400 |
| 02 | D2 | 1000 X 2400 |
| 03 | D3 | 750 X 2400 |
| 04 | CD1 | 1200 X 2400 |
| 05 | FD1 | 2400 X 2400 |
| 06 | W | 2500 X 2400 |
| 07 | W1 | 1200 X 2400 |
| 08 | W2 | 900 X 2400 |
| 09 | W3 | 600 X 1500 |
| 10 | BW1 | 1800 X 1800 |
| 11 | KW1 | 925 X 1500 |
| 12 | KW2 | 600 X 1500 |
| 13 | V1 | 600 X 1300 |


OWNER / GPA HOLDER'S SIGNATURE

OWNER'S ADDRESS WITH ID NUMBER & CONTACT NUMBER :
M/S DISHA WHITEHILL PROPERTIES LLP REP BY DESIGNATED PARTNERS ANJI REDDY METTU & RAJA SEKHAR KAMISETTY GPA HOLDER FOR ANSAR PASHA & OTHERS
43/2, 2nd floor, Whitefield Main Road, Bangalore

ARCHITECT/ENGINEER /SUPERVISOR 'S SIGNATURE
Ganesh N
4032, 28th Cross, 17th Main Road, BSK 2nd Stage, Bangalore – 560070.
E-4289/17-18


PROJECT TITLE :
PROPOSED RESIDENTIAL APARTMENT BUILDING AT E-KHATHA NO. 3574831652, SY.NO:6/1, 6/2, 6/3, 6/4, 304 & 305, KADUGODI VILLAGE, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, WARD NO.83.

DRAWING TITLE :
SECTION & ELEVATION

SHEET NO : 6

| SANCTIONING AUTHORITY : | | | |
|---|---|---|---|
| ASSISTANT / JUNIOR ENGINEER / TOWN PLANNER | ASSISTANT DIRECTOR | DEPUTY DIRECTOR | JOINT DIRECTOR |
| | | | |

This approval of Building plan/ Modified plan is valid for two years from the date of issue of plan and building licence by the competent authority.

HO – NORTH

Digitally signed by RAGHAVENDRA C N
Date: 22-Sep-2026 10:13:52
Project No:GBA/BECC/0356/25-26IN
Organization: Bengaluru East City Corporation
Designation :Joint Director Town Planning (JDTP)
FileNo :GBA/BECC/Addl.CTP/0029/25-26


This is system generated report and does not require any signature.
Accuracy of Scrutiny Report and Drawing is subject to accuracy of end-user provided data, 3rd party software/hardware/services, etc. We are not liable for any damages which may arise from use, or inability to use the Application.