



# Karnataka State Pollution Control Board

## Industry Profile

(Under Section 23 of The Water Act 1974, Under Section 24 of The Air Act 1981 and Under Section 10 of EP Act 1986)

1	<b>Industry Details</b>	Trifecta Projects Private Limited	<b>Bengaluru Mahadevapura PCB Id: 209942</b>	
	Email :	karthi.vnofear@gmail.com	PLOT NO:SY NO. 123/2, BIDARAHALLI HOBLI, BANGALORE EAST TALUK, BANGALORE, M/s. TRIFECTA PROJECTS PVT LTD, 13TH FLOOR, TRIFECTA ADATTO, SY NO. 66/2 AND 67/1, WHITEFIELD MAIN ROAD, MAHADEVAPURA POST, OPP TO BESCOM OFFICE BANGALORE-560048, JYOTHIPURA VILLAGE - 562129 DIST : Bangalore Urban, TAL : BBMP- W- 52, SIDC : Not In I.A	
	Commissioned Dt :	10/06/2024		
	Production Dt :	25/08/2026		
	Consent Details: ( --- )	Owner / Group:		
2	Type/Scale/Sector/Status: GREEN / LARGE / STPs Established at Residential apartments,Commerical complex, Housing colony with wastewater generation less than 10KLD. /			
3	Date and Time of Inspection : / Air , Water			
4	Investment (Plant & Machinery) in lakhs:	2200	Applicability of Env. Clearence :	No # Employee : 8
5	Applicability of CRZ Rules :	No	Total area of Premises(Sq.MTs)/Mines(In Hectares):	7284.000
6	Construction area (Sq MTs)		Green Belt : 2404 Sq.m	Open area : 0 Sq.m
7	Source of water Supply & permission obtained/Applied for : Other			
8	Is there any Provision for Storage of Hazardous Chemicals ? No			
9	Water Consumption in KLPD With source of water supply:		Industry:	0.000 Domestic: 37.000
10	Waste Water generation/Discharge(Kilo Lts Per Day-klpd) :		Industry:	0.000 Domestic: 34.000
11	Consumer No.(Electric Meter):			
12	Disposal Mode of Industrial / Domestic : Not Specified / Partially reused & remaining on land for gardening			
13	Discharge Pt / Final Receiving Body (Ultimate): STP / STP			
14	Status of water consent Under the Water Act,1974: - --- Last Inward:			
15	Water Consumption Break up Domestic Purpose - 37.0			
16	Effluent Treatement plant (ETP) : Units ETP Details : Bar Screen,P-Decanter,P-Equalization Tank,P-Oil-Grease Trap,S-AERATION TANK,S-SLUDGE HOLDING TANK,T-CARBON FILTER,T-SAND FILTER			
17	Whether Industry is a member of CETP ?		No	
18	Boilers=0 , DG Sets=0 , Borewells = 0 , Tubewells: 0 , Capacity of All = 1 APCM Details : Accoustic Enclosures Fuel Used : Diesel Stack Attached to : D.G. Sets			
19	Env Audit Detail : Sch : , , Year : , On Dt :			
20	Does it fall in SIDC/ INDUSTRIAL ESTATE/NOTIFIED AREA?		Not in Any of these	
21	In Case the Industry is out side the SIDC/ INDUSTRIAL ESTATE/NOTIFIED AREA? Distance from residencial area : 0.4 Kms Distance from Forest and other ecological sensitive area : 0.9 Kms Distance from State, District or National Highway : 0.9 Kms			
22	TSDF Name : Not Regd with any TSDF			
24	Lab Charges Pending : NIL		Water Cess Charges Pending : NIL	
25	Last Env. Form V : ---		Water Cess Return : HW Monthly Return : Defaulter	
	<b>HAZ Waste Details</b> Hazardous Type :			
	<b>List of Products</b> Residential Apartment - 49 Nos. Of Units - 15713 Mes(0)			

Signature By



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ

KARNATAKA STATE POLLUTION CONTROL BOARD

**Online Payment Receipt**

XGN_ID	182078
Name of the Organization	Trifecta Projects Pvt Ltd
Correspondence Address	M/S. Trifecta Projects Pvt Ltd , 13th Floor, Trifecta Adatto Sy No 66/2 and 67
Inward no	202387
Inward Type	CEF
Name of the Regional Office	Bengaluru Mahadevapura
Bank Reference Number	ZUTI1780318747
OrderId	162545
Date Of Payment	27/02/2024 00:00:00
Transaction Amount (In Rs.)	225000.00
Transaction Amount (In Words)	Two Lakh Twenty Five Thousand Rupees only