



**Karnataka State Pollution Control Board**  
Parisara Bhavana, No.49, Church Street, Bengaluru-560001

Tele : 080-25589112/3,  
25581383/388

Fax:080-25586321

Email id: ho@kspcb.gov.in

**Consent For Establishment -Expand(CFE-EXP)**

As per the provisions of  
**The Water (Prevention & Control of Pollution) Act, 1974**  
&  
**The Air (Prevention & Control of Pollution) Act, 1981**

To

**Proposed Residential Apartment @ Kothanur Village By M\s. Sobha Limited, Residential Apartment, Sy. No. 87/2 & 97/3, Kothanur Village**

for the Facility located at,

**Proposed Residential Apartment @ Kothanur Village By M\s. Sobha Limited, Sy. No. 87/2 & 87/3 ,Residential Apartment, Sy. No. 87/2 & 97/3, Kothanur Village  
Bangalore Urban**

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
CTE-346637	79511	237987	RED/LARGE	26/12/2024

**This Consent is granted for the Products/ Activity/Service name indicated in the annexure along with the terms & conditions attached to this order**

Validity : **29/04/2029**



ISO 9001:2015 & 14001:2015 Certified

**Combined Consent Order No:** CTE-346637**PCB ID:** 79511**GSC No :** PBOXG0000227987**Date:** 26/12/2024

To,

The Applicant,

Proposed Residential Apartment @ Kothanur Village By M\s. Sobha Limited

M/s. Sobha Limited, Reg. and Corporate  
Office, Sarjapura Marthahalli Outer Ring

Sir,

**Sub:** Consent for Expansion of the unit in the Existing premises under the Water (Prevention & Control of Pollution) Act,1974 & the Air (Prevention & Control of Pollution) Act, 1981**Ref:** 1.CFE expansion application submitted by the organization on 04/09/2024 at Regional Office KSPCB

2.Inspection of the project site by Regional Officer on 17/09/2024

3.Proceedings of the ECM dated 06/11/2024 held on30/10/2024

With reference to the above, Karnataka State Pollution Control Board hereby accords **Consent for Expansion** of the unit in the existing premises under the Water (Prevention & Control of Pollution) Act, 1974 & the Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the terms & conditions indicated in Schedule Annexed.

**Location:****Name of the Industry:** Proposed Residential Apartment @ Kothanur Village By M\s. Sobha Limited**Address:** Sy. No. 87/2 & 87/3, Residential Apartment, Sy. No. 87/2 & 97/3, Kothanur Village**Industrial Area:** Not In I.A, Kothanur Village ,**Taluk:** BBMP- W- 194, District: Bangalore Urban**CONDITIONS:**

1. The Consent for Expansion is granted considering the following activities:

Sr	Product Name	CFE Qty	CFO Qty	Applied Qty	Units	Existing/Proposed
1	residential apartment with 321 nos (existing 238+ 83 proposed) flats having tbaa of 81,955.51sqm (existing 73,314.29 + proposed 8,641.22)	238.0000	0.000 - NOS	83.0000	Number	Proposed

2. This consent for establishment is valid up to 29/04/2029 from the date of issue.

3. The applicant shall not undertake further expansion/diversification without the prior consent of the Board.

4. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.

**I. WATER CONSUMPTION:**

1. The source of water shall be from BWSSB and shall obtain prior permission from the concerned

authority.Total water consumption shall not exceed as indicated below:

Particulars	Water Consumption(KLD)	Water Discharge(KLD)	Water Source	Existing/Proposed
Domestic Purpose	108.00	97.00	BWSSB	Proposed
Domestic Purpose	168.00	151.00	BWSSB	Existing

**II. WATER POLLUTION CONTROL:**

1. The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
2. The sewage/domestic effluent shall be treated in Septic Tank with Soak pit.No overflow from the soak pit is allowed.The septic tank and Soak pit shall be as per IS 2470 Part-I & Part-II.
3. The Effluent Treatment Plant proposal is generally agreeable and shall be constructed as per the specifications mentioned in the proposal and it shall consist of following units.
4. The industry shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/greenbelt within the factory premises.
5. If the treatment plant does not achieve the effluent standards stipulated in this consent order and/or if it is found to be inadequate, then the industry shall have to modify the units so as to meet the standards with prior consent of the Board.
6. All the treatment units shall be totally impervious.
7. The applicant shall provide separate flow meter for measuring the quantity of effluents through ETP and separate energy meter and shall maintain a logbook for the verification of inspecting officers.
8. The applicant shall operate and maintain Treatment Plant continuously and maintain at all times to achieve the stipulated standards as per Annexure-I & also maintain regular log-books/operation records.
9. There shall not be any increase in generation of Domestic sewage due to proposed expansion.
10. There shall be no bypass or discharge of effluents either within or outside the factory premises under any circumstances.
11. There shall not be any discharge of untreated trade/domestic sewage inside/outside the industry premises.
12. The applicant shall explore the possibility of reducing freshwater consumption & adopt recycling/ reuse.

**III. AIR POLLUTION CONTROL:**

1. The type of emissions, stack heights and the air pollution control equipment for the air pollution control sources to be installed as specified in **Annexure-II**.
2. The discharge of emissions from the air pollution sources shall pass through the stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.
3. The stacks shall have port holes and platforms as per the guidelines specified in **Annexure-II** to facilitate monitoring of emissions.
4. The applicant shall upgrade/modify/replace the control equipments if they are found inadequate to meet the standards stipulated with prior permission of the Board shall be obtained for the same.
5. There shall not be any other sources of air pollution from the proposed expansion.
6. If there is going to be any new air pollution sources in future, the project authorities shall apply and obtain consent for establishment for the same from the Board.
7. Any fugitive emission has to be controlled to meet the ambient air quality standards.

**IV. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:**

1. The applicant shall collect, treat and dispose off all solid waste generated during construction i.e. Muck, and Garbage after construction if any in such manner so as not to cause environmental pollution.
2. The details of solid waste generated from the expansion activity shall be as follows

**V. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDARY MOVEMENT) RULES 2016:**

1. The industry shall apply and obtain authorization under Hazardous and Other Wastes (Management & Transboundary Movement) Rules 2016, and comply with the conditions of the authorization. The applicant shall apply for authorization along with the consent for operation (CFO) application under the Rules in Form-I to obtain authorization and comply with conditions.
2. There shall not be any Hazardous Waste generation from the proposed expansion project.

**VI. NOISE POLLUTION CONTROL:**

The applicant shall ensure that the ambient noise levels within its premises during construction and operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - \* Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- \* dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- \* A "decibel" is a unit in which noise is measured.
- \* "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- \* Leq: It is an energy mean of the noise level over a specified period.



**VII. GENERAL CONDITIONS:**

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
2. The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
3. The applicant shall not commission the proposed plant for trial or regular production unless necessary pollution control measures are installed as specified in this Consent Order.
4. The applicant shall ensure that the treatment plant and control equipments are completed and commissioned simultaneously along with construction of the factory and erection of machineries.
5. The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.
6. The applicant shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation.
7. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.
8. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
9. This CFE does not give any right to the Party/Project Authority/Industry to forego any *other* legal requirement that is necessary for setting/operation of the plant.
10. The applicant shall furnish point wise compliance to the conditions given under this consent for establishment within 30 days.
11. The applicant shall take measures to develop green belt all along the periphery of the factory premises.
12. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
13. The applicant shall comply with all the Conditions and guidelines issued by the Board from time to time.

Please note that this is only consent for establishment issued to you to proceed with the formalities for expansion of the industry and does not give any right to proceed trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 120 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

Consent Fee paid : Rs. 125000

**NOTE:**

The Conditions No. II(2) & VII(4) mentioned above are not applicable.

FOR AND ON BEHALF OF  
KARNATAKA STATE POLLUTION CONTROL BOARD

**MEMBER SECRETARY - CHIEF/SENIOR ENVIRONMENTAL OFFICER**

**Encl.: Annexure-I & II.**

**COPY TO:**

1. The Environmental Officer, KSPCB, Regional Office Bengaluru Bommanahalli for information and necessary action.
1. Master copy (Dispatch).
2. Office copy.

**Additional Conditions:**



Chimney No.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	DG set: 500 KVA x 3 Nos.	30	PM,SO2,NOx,C O, NMHC	0,0,0,0,0	DIE	AEC,GRB,P RT	

Note:

AEC,GR : Accoustic Enclosures  
B,PRT

#### **LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.**

##### 1. Location of Portholes and approach platform:

Portholes shall be provided for all Chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to at least eight times the stack or duct diameter downstream from any flow disturbance such as bend, expansion, contraction and visible flame. Further, the selected port has to be at least 2 stack/duct diameter before stack/duct exit or from any other flow disturbance. For rectangular stacks, an equivalent diameter can be calculated using following expression.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

- The diameter of the sampling port should not be less than 100mm dia".Arrangements should be made so that the porthole is closed firmly during the non sampling period.
- An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point off 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
- The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

**Signature valid**

Digitally signed by  
Date: 2024.12.25 17:14:29  
+05:30

### Additional Conditions

In addition to the Consent for Establishment (Expansion) issued by the Board in electronic format under Section (25) of the Water (Prevention & Control of Pollution) Act, 1974, the Rules & Air (Prevention and Control of Pollution) Act, 1981 and the Rules & Orders made there under the **Authorized Signatory, M/s. Sobha Limited**, for establishment of **Residential Apartment** with **321 Nos (existing 238+ 83 proposed) flats** having TBUA of **81,955.51sqm (existing 73,314.29 + proposed 8,641.22)**, installation of STP of total capacity **300 KLD (existing 185 + proposed 115KLD)** in the project proposed at **Sy. No. 87/2 & 87/3, Kothanur village, Uttarhalli hobli, Bengaluru south**, shall comply with the following additional conditions.

#### References:

1. CFExp application submitted at Regional Office, **Bommanahalli** with PCB ID-79511, dated: **10.07.2024**
2. RO **Bommanahalli** letter to Board Office forwarding the application, No.939, dated: **18.09.2024** received at Board office Dated: **21.09.2024**
3. Obtain EC modification dated: **22.08.2024**
4. 5<sup>th</sup> SLEC meeting held on **30.10.2024** and its proceedings dated: **06.11.2024**

\*\*\*\*\*

#### A. Environmental Aspects and its Management During the Course of Construction:

1. This Consent for Establishment is issued from pollution control point of view without prejudice to any case in any court of law.
2. The validity of the CFE is coterminous with validity of the Environmental Clearance issued vide No: **SEIAA 79 CON 2018 dated: 30.04.2019 & modification dated: 22.08.2024**. The conditions stipulated in the Environmental Clearance shall be complied with. The applicant shall obtain
3. Any changes to the Consent issued, necessary amendment in the Consent order shall be obtained in accordance with the approval under FIA Notification, 2006.
4. Services such as water supply, sanitation and sewage treatment shall be arranged at the construction site as well as the workforce colony and same shall be maintained without any adverse impact to the environment. Such treated sewage shall be used for the curing non load bearing structures, dust suppression and such allied activities as usage of fresh water for construction activity is banned as per Government Order No: FEE 188 ENV 2003, dated 14.08.2003.

#### B. Water Consumption:

1. The water consumption for the said project activity after proposed expansion shall not exceed **276KLD (existing 168KLD + proposed 108 KLD)**. The applicant shall obtain No Objection Certificate (NoC) issued by Karnataka Ground Water Authority (KGWA) within 3 Months in respect of abstraction of Groundwater from the existing or proposed bore well. The same shall be submitted if the water is proposed to be procured through tankers, the copy of the NOCs obtained by the supplier from KGWA shall be furnished.

#### C. Water Pollution Control:

1. The total quantity of sewage after proposed expansion shall not exceed **248 KLD ( existing 151KLD + proposed 97 KLD)** and shall be treated in the sewage treatment plant of capacity **300 KLD (existing 185 + proposed 115KLD)** with the treatment scheme submitted along with the application in order to meet the standards stipulated below before utilizing the same for secondary urban reuse

such as landscape, gardening, toilet flushing, fire protection etc., The STP shall be constructed on modular basis to cater to phase-wise development if need be.

Sl. No	Parameter	Prescribed Standards	Sl. No	Parameter	Prescribed Standards
01.	pH	6.5 – 9.0	05.	NH <sub>4</sub> -N (mg/l)	Not more than 5
02.	BOD <sub>3</sub> at 27°C (mg/l)	Not more than 10	06.	N-Total (mg/l)	Not more than 10
03.	COD (mg/l)	Not more than 50	07.	Fecal Coliform (MPN/100 ml).	Less than 100
04.	TSS (mg/l)	Not more than 20			

2. All the treatment units shall be made impervious and if they do not achieve the standards stipulated above or if it is found to be inadequate, the applicant shall have to modify the units or upgrade the STP with prior consent of the Board, in order to attain standard stipulated.
3. The applicant shall make provisions for dual piping system to use the treated sewage effluent for toilet flushing, gardening and other secondary purposes. If the treated sewage is used for car or basement or floor wash, a separate treatment unit shall be provided in the STP chain for removal of oil and grease.
4. Separate energy meter and flow meter shall be provided to STPs with log records maintained in a register.
5. Applicant shall add appropriate disinfectant to treated sewage to ensure residual chlorine preferably in the range of 1 mg/l. to 3 mg/l.
6. **DANGER** sign board near the STP shall be installed to maintain safety of the personnel involved in its operation and maintenance. Proper signage shall be displayed in both Kannada and English languages near the taps that discharge treated sewage as '**non-potable water**'. Access to STPs shall be given to authorized persons only with issue of necessary permits.
7. The applicant shall make use of the Mechanical Cleaning Equipment's to clean the STPs, instead of resorting to manual cleaning by contacting the Urban Local Body or any other authorized private agency in this regard by making use of Sucking & Jetting Machines. Necessary protective equipment's, safety gadgets, lifesaving oxygen supply shall be made available at the STP at all times. Precaution shall be taken to avoid any personnel coming in contact with Methane Gas generated. Necessary protective equipment with prescribed calibration shall be made available at all times.
8. In event of breakdown of regular power supply alternate source such as a captive diesel generator set to run and operate the essential units of sewage treatment plant shall be provided.
9. The services of qualified Environmental Engineer or Scientist shall be availed for the management of environmental aspects such as STP operation & cleaning, municipal solid waste management, domestic hazardous waste management, etc. The STP operators shall be trained & certified by a reputed organization such as Environmental Management Policy Research Institute. The STP shall be located 30 m away from the periphery of the Water Bodies such as lakes, tanks etc., and 50m, 25m, 15m away from the central line of the primary, secondary, Tertiary Rajakaluve respectively. The STP shall not be located in the buffer zone of Lake or Nala/drain/stream.
10. In event of breakdown of regular power supply alternate source such as a captive diesel generator set to run and operate the essential units of sewage treatment plant shall be provided.

**C. Air Pollution Control:**

1. There shall be no change in the sources of air pollution as accorded in the Board CFE.

**D. Solid Waste Management:**

1. The applicant shall earmark suitable sufficient place in the project premises to create facility for management of municipal solid waste. The facility shall consist of dry waste collection center,

material recovery facility for plastic, cardboard paper, glass, bottles & jars, metals cans & cartons etc., along with composting arrangement by way of natural process or organic waste conversion facility for treatment of organic waste generated.

2. Biomedical waste shall be handled & disposed as per the provisions of Biomedical Waste Management Rules, 2016. Separate bins shall be provided for the collection of the same.
3. Used sanitary napkins shall be stored and disposed scientifically as per prevailing law. The sanitary napkins shall be collected in separate bins with proper precautions and markings.
4. Plastic waste shall be handled & disposed as per provisions of Plastic Waste Management (Amendment) Rules, 2021. The waste plastic shall be handed over to authorized plastic waste processes duly maintaining appropriate records.
5. E waste shall be managed & disposed as per E-Waste (Management) Rules, 2022. Separate bins shall be kept at appropriate location in the premises for collection of the same with proper notification and markings.
6. Battery waste shall be managed & disposed as per Battery Waste Management Rules, 2022.

**F. Construction & Demolition Waste:**

1. The applicant shall strictly follow Construction & Demolition Waste Management Rules published by Ministry of Environment, Forest and Climate Change, New Delhi on 29.03.2016.
2. The applicant shall collect and hand over the wastes generated only to the KSPCB Authorized C & D waste processing facility without causing environmental pollution, ensuring it free from plastics and other organic matter.
3. Records pertaining to generation, transportation of C&D waste, including vehicle numbers, invoices/payment receipts, shall be maintained and furnished to the Board once in 03 months. In case there is no such waste generated or transported 'Nil' returns with signature of the authorized persons shall be furnished.
4. At no instances the waste shall be disposed illegally by dumping in valley, lakes or any other places directly or indirectly through the transporter. The generator will be held responsible to proceed with legal action for such violations even if the disposal is carried out by the transporter.
5. The applicant shall explore to use sand derived from crushed C& D waste as an alternative instead of using river sand for construction.
6. The trucks entering and exiting the construction site shall be subject to "wheel and trucks bottom washing" with a permanent arrangement and to reuse the waste water again.
7. The data on the management of C&D waste as per CPCB guidelines of March 2017 shall be furnished.

**G. Health & Safety:**

1. The applicant shall provide all necessary personal protective equipment & healthcare facilities to workers as per the prevailing policies of the competent authorities.
2. Used sanitary napkins, tampons and such allied materials shall be packed separately and handed over to the civic authorities for the safe disposal.

**H. General:**

1. Applicant shall provide Rain Water Harvest System to reduce draft on fresh water along with providing Percolation Pits to augment ground water table.
2. The applicant shall strictly adhere to the zonal regulations as per RMP 2015/the local planning authority guidelines as per the Hon'ble Supreme Court of India Judgment dated 05.03.2019 in respect of Civil Appeal No.5016 of 2016 with respect to buffer zone towards any Nala, drain or any other water bodies.
3. The prospective buyers shall be notified about existing surrounding schedule of the property.

4. All pages of the Consent for Establishment (CFE) obtained by the Board shall be displayed at prominent places Viz, marketing office, model apartment for the information of customers and inspecting officials of Board.
5. The applicant shall establish separate STPs viz., sullage treatment plant (200 KLD) and Sewage Treatment Plant (300 KLD) for treatment & utilization for secondary proposes other than drinking usage as per the revised proposal submitted.
6. Used oil, oil-soaked waste, oil filters generated from servicing the diesel generators shall be disposed to KSPCB authorized handlers.
7. Greenery of shrubs flowering and foliage trees shall be created in the premises as much as practicably possible.
8. The applicant shall not change or alter the project profile without the prior approval of the Board.
9. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at their cost, failing which, the applicant or occupier as the case may be shall be liable to pay the entire cost of remediation or restoration and pay in advance an amount equal cost estimated by Competent Agency or Committee. In case of the any complaint the applicant shall stop the construction activity and shall take appropriate measures before resuming construction activity with due information to the Board.
10. All necessary steps to keep the storm water drains within the project premises clean by keeping the top open along with de silting the same periodically so as to keep it clean aiding smooth flow of water in it.
11. The applicant shall earmark buffer distance as per the bylaws of the local planning authority and shall comply.
12. All the environmental pollution control measures shall be installed and made operational before handing over the project to others.
13. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
14. The applicant shall submit Half Yearly Consent Conditions Compliance Report to the Regional & Board Office as per schedule mentioned here in – April to September months to be submitted before 31<sup>st</sup>October, while October to March to be submitted before 30<sup>th</sup>April.
15. The Board reserves the right to withdraw the consent if non compliances to conditions stipulated are observed.
16. The applicant shall create awareness to the buyers on environmental issues and Ozone Depleting Substances and educate the residents about Ozone layer and its importance and ban use of ODS.
17. The applicant shall switchover to cleaner fuel such as CNG or LNG as soon as the supply skid is available in the area
18. The applicant shall adopt the principles listed in the Mission Life – Lifestyle for Environment List of Actions enlisted on the URL, <https://moef.gov.in/en/mission-life/list-of-actions/>, towards an environmentally conscious lifestyle and shall impart training to inmates on the same.
19. The applicant shall obtain all other statutory permissions/clearances under all such Acts whichever is applicable. This consent does not prevent operation of any other law in force. Failing to comply with any such provisions will attract penal actions from such Acts and the applicant shall solely be responsible for such acts. This consent shall not be used to circumvent to any other statutory provisions.
20. The applicant shall strictly adhere to siting guidelines for infrastructure projects vide Government of Karnataka Notification No. FEE 106 EPC 2021 (i) dated 10-12-2021 which is published in Karnataka Gazette dated 20-12-2021

No. PCB 62 CNP 19

INW ID: 237987


PCB ID:79511


21. The Buffer Zone shall be treated as "No Construction Zone" and shall be used only for green belt development.
22. The applicant shall submit the Environment Audit statement in prescribed Form-V for every financial year ending with 31<sup>st</sup> March on or before 30<sup>th</sup> of September
23. The applicant shall adhere to the statements made in the reply letter dated 01.4.2024 in pursuance to the directions given during the personal hearing with respect to sewage and sullage treatment plant, water balance and rain water harvesting proposal.


Please note that separate consent for operation of the Board for discharge of sewage effluent shall be obtained by remitting prescribed consent fee. The application for Consent has to be made 120 days in advance so as to make necessary inspection of the project to ascertain the pollution control measures provided. Issue of Consent will be considered only after complete installation of all the pollution control measures and its satisfactory testing.

The receipt of CFExp may please be acknowledged.

**For and on behalf of  
Karnataka State Pollution Control Board**

  
**Senior Environmental Officer**  
ಮೂಲಭೂತ ಸೌಕರ್ಯ ಮತ್ತು ಕೆರೆ ಅಭಿವೃದ್ಧಿ  
ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಸ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ  
ಬೆಂಗಳೂರು

  
**Senior Environmental Officer**  
**Infrastructure and Lake Development**  
ಮೂಲಭೂತ ಸೌಕರ್ಯ ಮತ್ತು ಕೆರೆ ಅಭಿವೃದ್ಧಿ  
ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಸ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ  
ಬೆಂಗಳೂರು





ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ

KARNATAKA STATE POLLUTION CONTROL BOARD

**Online Payment Receipt**

XGN_ID	79511
Name of the Organization	Proposed Residential Apartment @ Kothanur Village By M/s. Sobha Limited
Correspondence Address	M/s. Sobha Limited, Reg. and Corporate Office, Sarjapura Marthahalli Outer Ring
Inward no	227987
Inward Type	CEE
Name of the Regional Office	Bengaluru Bommanahalli
Bank Reference Number	ZAXCS8800IJ43W
OrderId	172292
Date Of Payment	04/09/2024 00:00:00
Transaction Amount (In Rs.)	125000.00
Transaction Amount (In Words)	One Lakh Twenty Five Thousand Rupees only