



Karnataka State Pollution Control Board

HEAD OFFICE : “Parisara Bhavan”,
No.49, Church Street, Bengaluru-560001
Tel No: 080-25589112/113, 080-25581383/388,
Website: <https://kspcb.karnataka.gov.in>

ZONAL OFFICE : Bengaluru South
Nisarga Bhavan 3rd Floor, Thimmaiah Road, 7th D
Main, Shivanagar, Bengaluru-560010
Tele : 080-23228862

Consent For Establishment (CFE) - (CfE-Fresh)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&
The Air (Prevention & Control of Pollution) Act, 1981

To

**Mr. Sreenivasa Reddy, Mr. Rajashekar Reddy and Others, Sarjapura Hobli,
Anekal Taluk**

for the Facility located at,

**Mr. Sreenivasa Reddy, Mr. Rajashekar Reddy and Others, Sy. No. 45/6, 45/7,
45/8, 45/17, 45/18 & 45/19, Handenahalli village, Sarjapura Hobli, Anekal Taluk
Bangalore Urban**

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
CTE-349078	278930	334636	ORANGE/LARGE	19/06/2025

**This Consent is granted for the Products/ Activity/Service name indicated
in the annexure along with the terms & conditions attached to this order**

Validity : 06/06/2030

Combined Consent Order No: CTE-349078

PCB ID: 278930

GSC No : PB0XG0000324636

Date: 19/06/2025

To,

The Occupier,

Mr. Sreenivasa Reddy, Mr. Rajashekar Reddy and Others

Sreenivasa Reddy and
Rajashekar Reddy and Others
No. 81, JRC Palladio,
Handenahalli Village, Behind
Indus International School,
Billapura Cross, Sarjapura
Road, Anekal, Bangalore

Sir,

Sub: Consent to Establish new activity under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981

Ref: 1. CFE application submitted by the industry/organization on 03/06/2025 at regional Office
2. Inspection of the project site by Regional Officer Bengaluru on 06/06/2025
Sarjapura

With reference to the above, it is to be informed that, the Board hereby accords **Consent for Establishment** for new Activity under Water (Prevention & Control of Pollution) Act, 1974 & Air (Prevention & Control of Pollution) Act, 1981 at the location indicated below subject to the following terms & conditions.

Location:

Name of the Industry: Mr. Sreenivasa Reddy, Mr. Rajashekar Reddy and Others
Address: Sy. No. 45/6, 45/7, 45/8, 45/17, 45/18 & 45/19, Handenahalli village, Sarjapura
Hobli, Anekal Taluk
Industrial Area: Not In I.A, Handenahalli Village,
Taluk: Anekal-Sarjapura Hobli, District: Bangalore Urban

1. This consent for establishment is valid up to **06/06/2030** from the date of issue.
2. The applicant shall not undertake expansion/diversification without the prior consent of the Board.
3. The applicant shall obtain necessary license/clearance from other relevant statutory agencies as required under the law.
4. This consent is granted considering the following activities:

Sr	Product Name	Applied Qty	Unit
1	"residential building with club house" consisting of 125units with built up area of 32,206.72SQM	125.0000	Number

I. WATER CONSUMPTION:

1. The source of water shall be from **Grampanchayath** and total water consumption shall be as below.

Particulars	Water consumption(KLD)
Domestic Purpose	84.0

II. WATER POLLUTION CONTROL:

1. The industry shall treat the domestic wastewater from the factory in septic tank with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be designed as per IS 2470 Part – I and Part – II.
2. The industry shall treat the domestic wastewater in the Sewage Treatment Plant (STP) as per the proposal submitted. It shall meet the standards specified in Annexure-I & shall be used on land for gardening/ greenbelt within the factory premises.
3. Domestic Sewage shall be discharged to Underground drainage System/ Sewers owned by Local body.
4. The trade effluent shall be treated in the Effluent treatment Plant (ETP) to the stipulated standards and the treated trade effluent shall be discharged to the Underground drainage System (UGD) owned by Local body.

STP & ETP details

SINo	ETP/STP NO	ETP Code	Category Name	Capacity (Meter Cubic)	Units	Remarks
1	STP1	BS-	Bar Screen	1.13	1	1.5 m x 1.0 m x 0.75 m
2	STP1	EQU	P-Equalization Tank	32.00	1	4.0 m x 4.0 m x 2 m
3	STP1	OGT	P-Oil-Grease Trap	1.13	1	1.5 m x 1.0 m x 0.75 m
4	STP1	PA-	Primary Aeration tank	8.00	1	Anoxic Tank - 2.0 m x 2.0 m x 2.0 m
5	STP1	AER	S-AERATION TANK	35.00	2	SBR tank - 4.0 m x 3.5 m x 2.5 m
6	STP1	SET	S-SETTLING TANK	24.00	1	Decant tank - 4.0 m x 3.0 m x 2.0m
7	STP1	SHT	S-SLUDGE HOLDING TANK	4.00	1	2.0 m x 2.0 m x 1.0 m
8	STP1	CFL	T-CARBON FILTER	2.25	1	1.2 m Dia x 2m ht
9	STP1	SFL	T-SAND FILTER	2.25	1	1.2 m Dia x 2m ht
10	STP1	TER	Tertiary	80.00	1	Final treated tank - 5.0 m x 4.0 m x 4.0 m

Discharge of effluents under the Water Act:

Sl. No.	Description	Permitted Quantity of discharge in KLD	Mode/Place of disposal
1	Domestic Purpose	76.000	sewage generated from the project area will be treated in the STP of capacity 80KLD and treated sewage will be used for flushing/gardening etc., with in the premises

III. AIR POLLUTION CONTROL:

1. The Source of emission, Stack height & Air Pollution Control (APC) measures shall be as specified in ANNEXURE-II.
2. The occupier shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
3. The Occupier shall upgrade/modify/replace the control equipment with prior permission of the Board.

IV. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A “decibel” is a unit in which noise is measured.
- * “A”, in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

V. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The industry shall collect, treat and dispose off all solid waste generated from the process other than wastes covered under the Hazardous Wastes (Management & Transboundary Movement) Rules 2016, in such manner so as not to cause environmental pollution.
2. The details of solid waste generated from the proposed plant and mode of disposal shall be as below.

Sr	Solid Waste Name/Type	Qty-Unit	Mode of Disposal
1	organic waste	3.0000 - M.T	OTH
2	In-organic waste	4.5000 - M.T	OTH
3	STP Sludge	0.2400 - M.T	OTH

VI. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUNDRY MOVEMENT) RULES 2016:

1. The industry shall apply and obtain authorization under Hazardous Wastes (Management & Transboundary Movement) Rules 2016, and comply with the conditions of the authorization. The applicant shall apply for authorization along with the consent for operation (CFO) application under the Rules in Form-I to obtain authorization and comply with conditions.

VII. GENERAL:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
2. The industry shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.
3. The industry shall not commission the proposed plant for trial or regular production unless necessary Water & air pollution control equipments are installed as specified in the Consent Order.
4. The industry shall ensure that the treatment plant and control equipments are completed and commissioned simultaneously along with construction of the factory and erection of machineries.
5. The industry shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.
6. The industry shall immediately report to the Board of any accident or unforeseen act or event resulting in release of discharge of effluents or emissions or solid wastes etc. in excess of the standards stipulated. And the industry shall immediately take appropriate corrective and preventive actions under intimation to the Board.
7. The Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions.
8. This CFE does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.
9. The industry shall furnish pointwise compliance to the conditions given under this consent for establishment along with the application for Consent to operate.
10. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration and pay in advance an amount equal to the cost estimated by Competent Agency or Committee.
11. The Project authorities shall apply and obtain prior consent of the Board for any new air pollution sources in future

Please note that this is only consent for establishment issued to you to proceed with the formalities for establishment of the industry and does not give any right to proceed with trial/regular production. For this purpose, separate consents of the Board for discharge of liquid effluent and the emissions to the air shall have to be obtained by remitting prescribed consent fee. The application for consent has to be made 120 days in advance of commissioning for trial production of the plant.

The receipt of this letter may please be acknowledged.

FOR AND ON BEHALF OF
KARNATAKA STATE POLLUTION CONTROL BOARD

Consent Fee paid : Rs. 30000

Note:

The following Conditions Nil mentioned above are not applicable.

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office, Bengaluru Sarjapura for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.

Note: All efforts should be made to remove colour and unpleasant odour as far as practicable.

ANNEXURE- II

Additional Conditions:






LOCATION OF SAMPLING PORTHOLES, THE PLATFORMS, THE ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 3". Arrangements should be made so that the porthole is closed firmly during the period when it is not used for sampling.
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point off 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.



Signature Not Verified
Digitally signed by
Date: 2025.06.19 13:13:06
+05:30



ವಿಷಯ :- Mr. Sreenivasa Reddy
Mr. Rajashekar Reddy and others

ಪುಟದ ಸಂಖ್ಯೆ : ①
ಕಡತದ ಸಂಖ್ಯೆ :

ಕಂಡಿಕೆ ಸಂಖ್ಯೆ	ಟಿಪ್ಪಣಿಗಳು
	D Regional officer, Sarjapura has forwarded the Inspection report in respect of CFE application filed by Mr. Rajashekar Reddy and other, Sy.No. 45/6, 45/7, 45/8, 45/17 45/18 & 45/19, Handenahalli village, Sarjapura Hobli, Anekal Taluk, Bengaluru Urban District. Which is group housing/apartment complex which proposed to construct 125 units with club house along with the relevant documents and recommended this office to conduct Technical Hearing before issuing CFE for the following reasons:- 1. Tank (water body) is marked in the proposed site as per village map and dishaank app map, but, tank is not marked in the ADRL sketch and site plan submitted by the project authority and also not marked any buffer in the site plan submitted by the project authority. Meanwhile, the project proponent has given the clarification which is as follows:- 1. There are proposing Residential project at Handenahalli Village with an area of 7 Acres 31 Guntas, there is a presence of bandidhari karab, Kunte Karab and Hillrock Karab in village map. 2. As per RTC: there is no kunte karab but mentioned 17G of (A) Karab. 3. As per conversion copy: there is no kunte karab is mentioned and 8G (B) Karab bandidhari karab is retained and same is reflected in site plan and 9G (A) Karab (hillock) has been regularized. 4. Also in CDP of Anekal planning Authority zonal regulations, there is no presence of water body/Kunte. 5. Also the present dated ADLR sketch, there is no Kunte. 8G bandidhari karab is retained and 9G A Karab has been regularized . 6. Since, there is no existence of Kunte in any records of RTC, conversion copy, ADRL sketch, DC letter for regulation. Hence, they are not leaving buffer for Kunte. The documents submitted by the project proponent is verified and same is accepted. Hence, CFE is hereby issued.  Zonal Senior Environmental officer Bengaluru-South

Mr. Sreenivasa Reddy, Mr. Rajashekar Reddy and others, Sy.No. 45/6, 45/7, 45/8, 45/17 45/18 & 45/19, Handenahalli village, Sarjapura Hobli, Anekal Taluk, Bengaluru Urban

District.

PCB ID: 278930

ANNEXURE – I

1. The Proposed STP of capacity 80 KLD shall consists of the following units:

Sl. no.	ETP Units	Size in M (LxWxD)	No of units
1	Bar Screen Chamber	1.5 x 1.0 x 0.75	1
2	Oil and grease trap	1.5 x 1.0 x 0.75	1
3	Equalization tank	4.0 x 4.0 x 2.00	1
4	Anoxic tank	2.0 x 2.0 x 2.00	1
5	SBR tank	4.0 x 3.5 x 2.50	1
6	Decant tank	4.0 x 3.0 x 2.00	1
7	Sludge holding tank	2.0 x 2.0 x 1.00	1
8	Treated water tank	5.0 x 4.0 x 4.00	1
9	Pressure sand filter (dia x ht)	1.2 x 2.00	1
10	Activated carbon filter (dia x ht)	1.2 x 2.00	1
11	Filter press	---	1

2. The treated sewage is proposed to use for flushing /landscaping/floor washing/car washing etc., The treated effluent shall confirm to the standards below:

Sl.no.	Parameters	Standards
1	pH	6.5-9.0
2	BOD ₃ at 27 ⁰ C, mg/l	Not more than 10
3	COD, mg/l	Not more than 50
4	Total Suspended Solids, mg/l	Not more than 20
5	Ammonical Nitrogen, mg/l	Not more than 5
6	Total Nitrogen, mg/l	Not more than 10
7	Fecal Coliform, MPN/100ml	Less than 100



**Zonal Senior Environmental Officer
Bangalore South**

Date: 27-04-2026

To,
The Honourable Chairman,
Karnataka Real Estate Regulatory Authority,
2nd floor, Silver Jubli Block, Unity Building,
CSI Compound, 3rd Cross, Mission Road,
Bengaluru, Karnataka – 560027

Subject: Declaration regarding KSPCB NOC for **JRC KANSO**.

Respected Sir,

This is to bring to your attention that we have received KSPCB NOC on 19-06-2025 with Consent Order No. CTE-349078, Validity till 06/06/2030.

We have applied for KSPCB NOC before we receive the Sanction Plan from Anekal Planning Authority dated 12-03-2026 with plan No. CC/1047/2025-26 situated in Sy No 45/6, 45/7, 45/8, 45/17, 45/18 and 45/19 of Handenahalli Village, Sarjapur Hobli, Anekal Taluk, Bangalore District - 562125.

Particulars	No of Units	Built-up Area
As per Sanction Plan	122	26,240.66 sq mtr
As per-KSPCB NOC	125	32,206.72 sq mtr

The No. of units and built-up area mentioned in KSPCB NOC is greater than the Sanction Plan. We are constructing the No. of units and built-up area within the permissible limit as mentioned in KSPCB NOC.

Hence, requesting authority to kindly consider and do the needful.

Thanking You,

For **JRC Projects**


(Authorised Signatory)
Authorised Signatory

www.jrcprojects.com