भारत सरकार
केन्द्रीय भूमि जल प्राधिकरण
जल संसाधन मंत्रालय

Government of India
Central Ground Water Authority
Ministry of Water Resources

Regional Director

CGWA/IND/Proj/2011- 1104

No.21-4(153)/SWR/CGWA/2011- 1560 **Dated:-** 20 OCT 2011

To,

M/s BCV Developers Pvt Ltd.,
Hulkul Brigade, Centre 82,
Lavelle Road, Bangalore-560001,
Karnataka.

Sub:- NOC for ground water withdrawal by M/s BCV Developers Pvt Ltd., in respect of their proposed residential housing project "Brigade Orchards" at Village Rayasandra & Devanahalli, Taluk Devanahalli, District Bangalore, Karnataka – reg.

Sir,

Kindly refer to your application dated 30.8.2011 on the above cited subject. Based on recommendations of Regional Director, Central Ground Water Board, South Western Region, Bangalore, vide their office letter no. T/A-20/BR/NOC/CGWB/SWR/2011 –Bo-1416 dated 9.7.2011 and further deliberations on the subject, the NOC of Central Ground Water Authority is hereby accorded to **M/s BCV Developers Pvt Ltd., in respect of their proposed residential housing project "Brigade Orchards" at Village Rayasandra & Devanahalli, Taluk Devanahalli, District Bangalore, Karnataka**. The NOC is, however subject to the following conditions:-

1. The firm may abstract **482 m^3/day** (not exceeding **1,75,930 m^3/year)** of ground water through existing six (6) borewells only. No additional ground water abstraction structures to be constructed for this purpose without prior approval of the CGWA.
2. The wells to be fitted with water meter by the firm at its own cost and monitoring of ground water abstraction to be undertaken accordingly on regular basis, at least once in a month. The ground water quality to be monitored twice in a year during pre monsoon and post monsoon periods.
3. **M/s BCV Developers Pvt Ltd.,** shall, in consultation with the Regional Director, Central Ground Water Board, South Western

Region, Bangalore, implement ground water recharge measures to the tune of **2,20,095 m^3/year**, for augmenting the ground water resources of the area.

4. The photographs of the recharge structures after completion of the same are to be furnished immediately to the Regional Director, Central Ground Water Board, South Western Region, Bangalore, for verification and under intimation to this office.
5. The firm at its own cost shall install piezometers at suitable locations and execute ground water regime monitoring programme in and around the project area on regular basis in consultation with the Central Ground Water Board, South Western Region, Bangalore.
6. The ground water monitoring data in respect of S. No. 2 & 5 to be submitted to Central Ground Water Board, South Western Region, Bangalore on regular basis at least once in a year.
7. The firm shall ensure proper recycling and reuse of waste water after adequate treatment.
8. Action taken report in respect of S. No. 1 to 7 may be submitted to CGWA within one year period.
9. The permission is liable to be cancelled in case of non-compliance of any of the conditions as mentioned in S. No. 1 to 8.

Yours faithfully

Regional Director

Copy for information to:

1. The Member Secretary, Karnataka State Pollution Control Board, "Parisara Bhavan" 1st to 5th Floors, # 49, Church Street, Bengaluru 560001.
2. The Regional Director, Central Ground Water Board, South Western Region, 7th Cross, 27th Main, Sector 1, HSR Layout, Bangalore. This has reference to your letter no. T/A-20/BR/ NOC/CGWB/SWR/2011 –Bo-1416 dated 9.7.2011.
3. TS to Chairman, Central Ground Water Board, Bhujal Bhawan, Faridabad.

Regional Director