



FORM-XIII

[See Rule 32]

CfE-Fresh - 280847

Application for consent to establish or take any step to establish any Industry, operation process or any treatment and disposal system for discharge, under section 25 or continuation or discharge under section 26 of the Water (Prevention and Control of Pollution) Act. 1974.

Date : 13/03/2025

From : Abhee Ventures Private Limited

PCB-ID : 257052

**PLOT/PHASE No. Sy. Nos. 20/4, 23/1, 27/1, 27/2, 27/3, 27/4, 27/5, 31/1, 31/2, 31/3, 31/4, 31/5, 31/6, 32/3B, 32/4, 32/5, 33/1, 33/2, 33/3, 33/4, 95/1, 95/2, 95/3, 95/5 & 95/6 of Arenur Village,
Attibele Hobli, Anekal Taluk, Bengaluru urban district. Office at No.393, 1st Floor, 15th Cross, 5th Main Road, Sector-6, HSR Layout, Bengaluru,
Bengaluru - 560102
DIST : Bangalore Urban, TAL : Anekal-Attibele Hobli, SIDC : Not In I.A**

I/We hereby apply for consent/renewal of consent under section 25 of the Water (Prevention and Control of Pollution) Act.1974 (6 of 1974) to establish or take any step to establish any Industry or operation or process or a treatment and disposal system or any extension or addition to bring into use any new altered outlet for discharge of sewage/trade effluent* to continue to discharge sewage/trade effluent* from land/premises owned by

To,
The Member Secretary,
Karnataka State Pollution Control Board
Parisara Bhavan, #49,4th & 5th Floor,
Church Street, Bengaluru-560001

1. Full name of the applicant : **Mr. R. Nagaraj Reddy**
2. Nationality of the applicant : **INDIAN**
3. Constitution Type : **Pvt. Ltd.**
4. Names, Address and Telephone Nos of Applicant : **Mr. R. Nagaraj Reddy (8904080806)**
5. Address of the industry. : **Abhee Ventures Private Limited,
PLOT/PHASE No. Sy. Nos. 20/4, 23/1, 27/1, 27/2, 27/3, 27/4, 27/5, 31/1, 31/2, 31/3, 31/4, 31/5, 31/6, 32/3B, 32/4, 32/5, 33/1, 33/2, 33/3, 33/4, 95/1, 95/2, 95/3, 95/5 & 95/6 of Arenur Village,
Attibele Hobli, Anekal Taluk, Bengaluru urban district. Office at No.393, 1st Floor, 15th Cross, 5th Main Road, Sector-6, HSR Layout, Bengaluru,
Bengaluru - 560102
DIST : Bangalore Urban, TAL : Anekal-Attibele Hobli, GIDC : Not In I.A**
6. Details of Commissioning etc : **04/03/2027**
7. Total number of employee expected to be employed. : **1415**

:

*Strike out which is not relevant.



FORM-XIII

[See Rule 32]

8. Details of license, if any obtained under the provisions of Industrial Development Regulation Act., 1951

9. Name of the person authorised to sign this form (the original authorization except in the case of individual proprietor concern is to be enclosed.) : **Mr. R. Nagaraj Reddy**

10.(a) List of Raw materials with monthly consumption rate (Monthly Data)

(b) List of Products with monthly production rate (Monthly Data)

Sr	Product Name	CFE Qty	CFO Qty	Unit	Applied Qty
1	Development of Residential Layout with 283 plots in an area of 68,188.58 Sqm (16 Acre 34 Guntas).	283.0000	0.000	Number	283.0000

(c) Licence or Annual Capacity of the industry , operation or process etc.

11. State daily quantity of water in kilolitres utilized and its source (domestic / industrial process boiler Cooling others)

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Domestic Purpose	191.000	172.000	Sewage is treated in STP of capacity 200 KLD and the treated water is used for secondary purposes.

12.(a) State the daily maximum quantity of effluents , quantity and mode of disposal (sewer or drain or river of land or lake / pond / or estary / tidal waters / sea water / Off share) Also attach analysis report of the effluent.

Type of effluent, quantity in kiloliters, Mode of disposal.

(i) Domestic : Water Consumption : 191.000 Kls/Day , Waste Water Generation : 172.000 Kls/Day

(ii) Industrial : Water Consumption : 0.000 Kls/Day , Waste Water Generation : 0.000 Kls/Day

Mode of Disposal : Industrial : Not Specified , Domestic : Partially reused & remaining on land for gardening

Ultimate Receiving Body : flushing, gardening & for Avenue plantation

Waste Wtr Discharge Pt : flushing/gardening etc.,

Source of water Supply & permission obtained/Applied for : Bidaraguppe Gram Panchayath and Borewell.

(b) Quality of effluent Currently Discharged or expected to be discharged

(c) what monitoring arrangement is currently provided or Proposed.

13.State whether you have any treatment plant for industrial , domestic or combined effluents.

Whether Industry is a member of CETP ? NOT

Boilers=0 , DG Sets=1 , Borewells = 0 , Tubewells: 0 , Capacity of All =

Sr	ETP Code	Category Name	Capacity	Units	Remark
1	BS-	Bar Screen	1.35	1	Bar Screen=0.6 m X 1.5 m X 1.5 m
2	EQU	P-Equalization Tank	100.00	1	Equalization tank=5.0 m X 5.0 m X 4.0 m
3	OGT	P-Oil-Grease Trap	1.80	1	Oil & Grease Chamber=0.6 m X 1.5 m X 2.0 m
4	PRI	Primary	40.00	1	Anoxic tank =2.0 m x 5.0 m x 4.0 m
5	AER	S-AERATION TANK	90.00	2	SBR=4.5 m X 5.0 m X 4.0 m
6	SET	S-SETTLING TANK	80.00	1	Decant tank=4.0 m X 5.0 m X 4.0 m
7	SHT	S-SLUDGE HOLDING TANK	12.00	1	Sludge holding tank=1.0 m X 3.0 m X 4.0 m
8	CFL	T-CARBON FILTER	0.78	1	Activated Carbon filter=1.0 m dia X 1.5 m height
9	SFL	T-SAND FILTER	0.78	1	Pressure sand filter=1.0 m dia X 1.5 m height
			326.71		

14. If yes, attach the description of the process of treatment in brief. Attach information on the quality of treated effluent vis- a vis the standards. State Details of solid wastes generated in the process or during waste treatment.

*Strike out which is not relevant.



Karnataka State Pollution Control Board

FORM-XIII

Parisara Bhavan, #49,4th & 5th Floor, Church Street,
Bengaluru-560001

[See Rule 32]

15. I/We further declare that the information furnished above is correct to the best of my / our knowledge.
16. I/We hereby submit that in case of change either of the point of discharge or the quantity of discharge or its quality, a fresh application for CONSENT shall be made and until such CONSENT is granted no change shall be brought into use.
17. I/We hereby agree to submit to the Pollution Control Board an application for renewal of consent one month in advance of the date of expiry of the consented period for outlet / discharge if, to be continued thereafter.
18. I/We undertake to furnish any other information within one month of its being called for by the Karnataka State Pollution Control Board
19. I/We, enclose herewith Cash Receipt No./Bank Draft No. ==
& date : 06/03/2025 for **Rs :75000 (In words : Seventy Five Thousand Rupees Only)**
Pay Remark :
In favour of the Karnataka State Pollution Control Board Parisara Bhavan, #49,4th & 5th Floor, Church Street,
Bengaluru-560001 as fees payable under section 25 of the Act.

Inward Purpose :

Applying for fresh CFE. Paying Rs 75000 based on STP capacity 200KLD under Gram Panchayat

Other Information :

Signature of the Applicant
(Mr. R. Nagaraj Reddy)

Signature Not Verified
Digitally signed by
Date: 2025.03.18 09:42:55
+05:30

*Strike out which is not relevant.



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ

KARNATAKA STATE POLLUTION CONTROL BOARD

Online Payment Receipt

XGN_ID	257052
Name of the Organization	Abhee Ventures Private Limited
Correspondence Address	Office at No.393, 1st Floor, 15th Cross, 5th Main Road, Sector-6, HSR Layout, Bengaluru
Inward no	280847
Inward Type	CEF
Name of the Regional Office	Bengaluru Sarjapura
Bank Reference Number	BSBI14A0F5FUW6
OrderId	181264
Date Of Payment	13/03/2025 00:00:00
Transaction Amount (In Rs.)	75000.00
Transaction Amount (In Words)	Seventy Five Thousand Rupees only

Print Receipt