



Karnataka State Pollution Control Board

Industry Profile

(Under Section 23 of The Water Act 1974, Under Section 24 of The Air Act 1981 and Under Section 10 of EP Act 1986)

1	Industry Details Email : mnassociates7@gmail.com Commissioned Dt : 10/05/2023 Production Dt : 20/12/2024 Consent Details: (---)	Nexplace Infrastructure PLOT NO:Sy. No. 24/2, 24/6, 24/8 & 24/11, Chikkavaderapura Village,, Sarjapura Hobli, Anekal Taluk,, M/s. NEXPLACE INFRASTRUCTURE, 393, 1ST FLOOR, 15TH CROSS, 5TH MAIN ROAD, SECTOR, CHIKKAVADERAPURA VILLAGE - 560087 DIST : Bangalore Urban, TAL : Anekal-Sarjapura Hobli, SIDC : Not In I.A Owner / Group:	Bengaluru Sarjapura PCB Id: 138342
2	Type/Scale/Sector/Status: RED / LARGE / STPs Established at Residential apartments, Commercial complex, Housing colony with wastewater generation more than 100KLD. / In Operation		
3	Date and Time of Inspection : 19/04/2024 / Air , Water		
4	Investment (Plant & Machinery) in lakhs: 17000	Applicability of Env. Clearence : No	# Employee : 25
5	Applicability of CRZ Rules : No	Total area of Premises(Sq.MTs)/Mines(In Hectares):	19601.000
6	Construction area (Sq MTs)	Green Belt : 10666 Sq.m	Open area : 0 Sq.m
7	Source of water Supply & permission obtained/Applied for : Other		
8	Is there any Provision for Storage of Hazardous Chemicals ? No		
9	Water Consumption in KLPD With source of water supply:	Industry: 0.000	Domestic: 1067.000
10	Waste Water generation/Discharge(Kilo Lts Per Day-klpd) :	Industry: 0.000	Domestic: 854.000
11	Consumer No.(Electric Meter):		
12	Disposal Mode of Industrial / Domestic : Not Specified / Partially reused & remaining on land for gardening		
13	Discharge Pt / Final Receiving Body (Ultimate): gardening/flushing/floor washing etc., / STP		
14	Status of water consent Under the Water Act,1974: - --- Last Inward:		
15	Water Consumption Break up Domestic Purpose - 270.0, Domestic Purpose - 1337.0		
16	Effluent Treatement plant (ETP) : Units ETP Details : Bar Screen,P-Decanter,P-Equalization Tank,P-Oil-Grease Trap,S-AERATION TANK,S-SLUDGE HOLDING TANK,T-CARBON FILTER,T-SAND FILTER		
17	Whether Industry is a member of CETP ? No		
18	Boilers=0 , DG Sets=0 , Borewells = 0 , Tubewells: 0 , Capacity of All = 250 KLD & 870 KLD STP APCM Details : Accoustic Enclosures Fuel Used : Diesel Stack Attached to : D.G. Sets		
19	Env Audit Detail : Sch : , , Year : , On Dt :		
20	Does it fall in SIDC/ INDUSTRIAL ESTATE/NOTIFIED AREA? Not in Any of these		
21	In Case the Industry is out side the SIDC/ INDUSTRIAL ESTATE/NOTIFIED AREA? Distance from residencial area : 0.81 Kms Distance from Forest and other ecological sensitive area : 0.25 Kms Distance from State, District or National Highway : 0.02 Kms		
22	TSDF Name : Not Regd with any TSDF		
24	Lab Charges Pending : NIL	Water Cess Charges Pending : NIL	
25	Last Env. Form V : ---	Water Cess Return :	HW Monthly Return : Defaulter
HAZ Waste Details Hazardous Type :			
List of Products Expansion Of Residential Apartment From 399 Nos. To 1979 Nos. With Built Up Area From 81,372.63 Sqm - 431570.0100 Mes(0), Modification In Residential Apartment Project By Decrease In No. Of Flats From 450 To Of 399units Wi - 450 Mes(0)			
Signature By			